

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

1. IDENTIFICATION OF THE SUBSTANCE/MIWTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identification

Product name: GLUE REMOVER 400 ML

Article number: F100010

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Industrial/Professional use spec: For professional use only.

Function or use category: Solvents.

Uses advised against

No additional information available.

1.3 Details of the supplier of the safety data sheet

Company: MULTITASK INDUSTRIES

KARNEMELKSTRAAT 12 9060 ZELZATE / BELGIUM TEL: +32 (0)9 282 43 61 FAX: +32 (0)9 337 04 96

FAX: +32 (0)9 337 04 96

HOMEPAGE: www.multitaskindustries.be EMAIL: info@multitaskindustries.be

Information department:

Technical information: info@multitaskindustries.be

1.4 Emergency telephone number: Poison control centre (Brussels): +32 (0)70 245 245.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1	H222; H229
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic hazard, Category 1	H410
(A) A (A) (A) (A) (A) (A) (A) (A) (A) (A	

Full text of H- and EUH-statements: see section 16.

Adverse physicochemical, human health and environmental effects: No additional information available.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):







GHS02

GHS07

GHS0

Signal word (CLP): Danger.

Contains: CITRUS SINENSIS PEEL OIL EXPRESSED

Hazard statements (CLP):

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP):

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

2.3 Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics substance with a Community workplace exposure limit	CAS-No.: 64742-48-9 REACH-no: 01-2119486659-16	25-50	Asp. Tox. 1, H304
CITRUS SINENSIS PEEL OIL EXPRESSED	CAS-No.: 8028-48-6 EC-No.: 232-433-8 REACH-no: 01-2119493353-35	25-50	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 40	0 ML
	Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Product subject to CLP Article 1.1.3.7. The disclosure rules of the components is modified in this case. Full text of H- and EUH-statements: see section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

First-aid measures general: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation: Cough. Allow affected person to breathe fresh air. Allow the victim to rest. **First-aid measures after skin contact:** Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Take off contaminated clothing and wash it before reuse.

First-aid measures after eye contact: Direct contact with the eyes is likely to be irritating. Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation: Shortness of breath.

Symptoms/effects after skin contact: Causes skin irritation. May cause an allergic skin reaction.

4.3 Indication of any immediate medical attention and special treatment needed

No additional information available.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media: Do not use a heavy water stream.

5.2 Special hazards arising from the substance or mixture

Fire hazard: Extremely flammable aerosol.

Explosion hazard: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.

Hazardous decomposition products in case of fire: Carbon dioxide. Carbon monoxide.

5.3 Advice for firefighters

Firefighting instructions: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

General measures: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

For non-emergency personnel

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

6.2 Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4 Reference to other sections

See Section 8. Exposure controls and personal protection.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Additional hazards when processed: Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling: Do not spray on an open flame or other ignition source. Keep away from sources of ignition - No smoking. No open flames. No smoking. Do not pierce or burn, even after use.

Hygiene measures: Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures: Proper grounding procedures to avoid static electricity should be followed.

Storage conditions: Keep only in the original container in a cool, well-ventilated place away from: Heat sources. Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight. Heat sources.

7.3 Specific end use(s)

No additional information available.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

National occupational exposure and biological limit values:

Tational occupational c	aposure una siological initi values.	
isobutane (75-28-5)		
Belgium - Occupational ex	xposure limits	
Local name	Butane, all isomers: isobutane	
Limit value [ppm]	1000 ppm	_
Short time value [mg/m ³]	2370 mg/m ³	
Short time value [ppm]	980 ppm	
Reference Legislation	Royal Decree 02/09/2018	

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-48-9)	
EU - Indicative Occupational Exposure Limit (IOEL)	
Local name	White spirit Type 3
IOELV TWA (mg/m ³)	116 mg/m^3
IOELV TWA (ppm)	20 ppm
IOELV STEL (mg/m ³)	290 mg/m ³
IOELV STEL (ppm)	50 ppm
Remarks	skin. (Year of adoption 2007)
Reference Legislation	SCOEL Recommendations
Belgium – Occupational exposure limits	
Limit value [ppm]	≤ 184 ppm

CITRUS SINENSIS PEEL OIL EXPRESSED (8028-48-6)	
Belgium – Occupational exposure limits	
Limit value [mg/m³]	\leq 31,1 mg/m ³

Exposure limit values fort he other components

LPG	
Belgium – Occupational exposure limits	
Limit value [ppm]	1000 ppm

Recommended monitoring procedures: No additional information available.

Air contaminants formed: No additional information available.

DNEL and PNEC: No additional information available. **Control banding:** No additional information available.

8.2 Exposure controls

Appropriate engineering controls: No additional information available.

Personal protective equipment

Personal protective equipment: Avoid all unnecessary exposure.

Personal protective equipment symbol(s):







according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

Eye and face protection

Eye protection: Chemical goggles or safety glasses.

Skin protection

Skin and body protection: Wear suitable protective clothing.

Hand protection: Wear protective gloves.

Respiratory protection: Wear appropriate mask. **Thermal hazards:** No additional information available.

Environmental exposure controls

Other information: Do not eat, drink or smoke during use.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Liquid. **Colour:** Colourless. Odour: Characteristic. **Odour threshold:** Not available. pH: Not available. Relative evaporation rate (butyl acetate=1): Not available. **Melting point:** Not available. **Freezing point:** Not available. **Boiling point:** Not available. Flash point: Not available. **Auto-ignition temperature:** Not available. **Decomposition temperature:** Not available.

Flammability (solid, gas): Extremely flammable aerosol.

Vapour pressure: Not available. Relative vapour density at 20°C: Not available. **Relative density:** Not available. **Solubility:** Not available. Log Pow: Not available. Viscosity, kinematic: Not available. Viscosity, dynamic: Not available. **Explosive properties:** Not available. **Oxidising properties:** Not available. **Explosive limits:** 1,5 - 8,5 vol %

9.2 Other information

Gas group: Press. Gas (Liq.)



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

10. STABILITY AND REACTIVITY

10.1 Reactivity

No additional information available.

10.2 Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3 Possibility of hazardous reactions.

Not established.

10.4 Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5 Incompatible materials

Strong acids. Strong bases.

10.6 Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity (oral): Not classified.
Acute toxicity (dermal): Not classified.
Acute toxicity (inhalation): Not classified.
Skin corrosion/irritation: Cause skin irritation.
Serious eye damage/irritation: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Carcinogenicity: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Reproductive toxicity: Not classified.

Additional information: Based on available data, the classification criteria are not met.

STOT-single exposure: Not classified.

Additional information: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Aspiration hazard: Not classified.

Additional information: Based on available data, the classification criteria are not met.

Glue Remover 400 ML	
Vaporizer	Aerosol



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

Potential adverse human health effects and symptoms: Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecology – water: Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute): Very toxic to aquatic life.

Hazardous to the aquatic environment, long–term (chronic): Harmful to aquatic life with long lasting

effects.

12.2 Persistence and degradability

May cause long-term adverse effects in the environment.

12.3 Bioaccumulative potential

Not established.

12.4 Mobility in soil

No additional information available.

12.5 Results of PBT and vPvB assessment

No additional information available.

12.6 Other adverse effects

Additional information: Avoid release to the environment.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product/Packaging disposal recommendations: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.

Additional information: Flammable vapours may accumulate in the container.

Ecology – waste materials: Avoid release to the environment.

14. TRANSPORT INFORMATION

In accordance with ADR/IMDG/IATA/ADN/RID

14.1 UN number ADR: UN 1950 IMDG: UN 1950 IATA: UN 1950 ADN: UN 1950 RID: UN 1950



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

14.2 UN proper shipping name

Proper shipping name (ADR): AEROSOLS Proper shipping name (IMDG): AEROSOLS Proper shipping name (IATA): Aerosols, flammable

Proper shipping name (ADN): AEROSOLS Proper shipping name (RID): AEROSOLS

Transport document description (ADR): UN 1950 AEROSOLS, 2.1, (D), ENVIRONMENTALLY

HAZARDOUS

Transport document description (IMDG): UN 1950 AEROSOLS, 2.1, MARINE POLLUTANT/

ENVIRONMENTALLY HAZARDOUS


Transport document description (IATA): UN 1950 Aerosols, flammable, 2.1, ENVIRONMENTALLY

HAZARDOUS

Transport document description (ADN): UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS Transport document description (RID): UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY HAZARDOUS

14.3 Transport hazard class(es) **ADR**

Transport hazard class(es) (ADR): 2.1



IMDG

Transport hazard class(es) (IMDG): 2.1 Danger labels (IMDG): 2.1

IATA

Transport hazard class(es) (IATA): 2.1 Danger labels (IATA): 2.1

ADN

Transport hazard class(es) (ADN): 2.1

Danger labels (ADN): 2.1

RID

Transport hazard class(es) (RID): 2.1 Danger labels (RID): 2.1

14.4 Packing group

ADR: III IMDG: III IATA: III ADN: III RID: III

14.5 Environmental hazards

Dangerous for the environment: Yes

Marine pollutant: Yes

Other information: No supplementary information available.

















according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

14.6 Special precautions for user

Overland transport

Classification code (ADR): 5F

Special provisions (ADR): 190, 327, 344, 625

Limited quantities (ADR): 11 Excepted quantities (ADR): E0

Packing instructions (ADR): P207, LP02

Special packing provisions (ADR): PP87, RR6, L2

Mixed packing provisions (ADR): MP9

Transport category (ADR): 2

Special provisions for carriage - Packages (ADR): V14

Special provisions for carriage - Loading, unloading and handling (ADR): CV9, CV12

Special provisions for carriage - Operation (ADR): S2

Tunnel restriction code (ADR): D

Transport by sea

Special provisions (IMDG): 63, 190, 277, 327, 344, 959

Limited quantities (IMDG): SP277 Excepted quantities (IMDG): E0

Packing instructions (IMDG): P207, LP02 Special packing provisions (IMDG): PP87, L2

EmS-No. (Fire): F-D EmS-No. (Spillage): S-U Stowage category (IMDG): None

Air transport

PCA Excepted quantities (IATA): E0

PCA Limited quantities (IATA): Y203

PCA limited quantity max net quantity (IATA): 30kgG

PCA packing instructions (IATA): 203 PCA max net quantity (IATA): 75kg CAO packing instructions (IATA): 203 CAO max net quantity (IATA): 150kg Special provisions (IATA): A145, A167

ERG code (IATA): 10L

Inland waterway transport

Classification code (ADN): 5F

Special provisions (ADN): 19, 327, 344, 625

Limited quantities (ADN): 1 L Excepted quantities (ADN): E0 Equipment required (ADN): PP, EX, A Ventilation (ADN): VE01, VE04 Number of blue cones/lights (ADN): 1

Rail transport

Classification code (RID): 5F

Special provisions (RID): 190, 327, 344, 625

Limited quantities (RID): 1L Excepted quantities (RID): E0

Packing instructions (RID): P207, LP02



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

Special packing provisions (RID): PP87, RR6, L2

Mixed packing provisions (RID): MP9

Transport category (RID): 2

Special provisions for carriage – Packages (RID): W14

Special provisions for carriage - Loading, unloading and handling (RID): CW9, CW12

Colis express (express parcels) (RID): CE2 Hazard identification number (RID): 23

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

REACH Annex XVII (Restriction List): Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions).

REACH Annex XIV (Authorisation List): Contains no substance(s) listed on REACH Annex XIV (Authorisation List). REACH Candidate List (SVHC): Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent): Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants): Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009): Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).

Explosives Precursors Regulation (2019/1148): Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004): Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

National regulations: /

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

16. OTHER INFORMATION

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

ATE: Acute Toxicity Estimate.

BCF: Bioconcentration factor.

CLP: Classification Labelling Packaging Regulation; Regulation (EC) No. 1272/2008.

DMEL: Derived Minimum Effect Level.

DNEL: Derived No Effect Level.

DPD: Dangerous Preparations Directive 1999/45/EC.

DSD: Dangerous Substances Directive 67/548/EEC.

EC50: Median effective concentration.



according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Revision date: 3/08/2023

GLUE REMOVER 400 ML

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods.

LC50: Median lethal concentration.

LD50: Median lethal dose.

LOAEL: Lowest Observed Adverse Effect Level.

NOAEC: No-Observed Adverse Effect Concentration.

NOAEL: No-Observed Adverse Effect Level.

NOEC: No-Observed Effect Concentration.

OECD: Organisation for Economic Co-operation and Development.

PBT: Persistent, Bioaccumulative Toxic.

PNEC: Predicted No-Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

RID: Regulations concerning the International Carriage of Dangerous Goods by Rail.

SDS: Safety Data Sheet.

STP: Sewage treatment plant.

TLM: Median Tolerance Limit.

vPvB: Very Persistent and Very Bioaccumulative.

Data sources: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Full text of H- and EUH-statements:

Aquatic Acute 1: Hazardous to the aquatic environment – Acute Hazard, Category 1.

Aquatic Chronic 1: Hazardous to the aquatic environment – Chronic Hazard, Category 1.

Asp. Tox. 1: Aspiration hazard, Category 1.

Flam. Liq. 3: Flammable liquids, Category 3.

Skin Irrit. 2: Skin corrosion/irritation, Category 2.

Skin Sens. 1: Skin sensitisation, Category 1.

H222: Extremely flammable aerosol.

H226: Flammable liquid and vapour.

H229: Pressurised container: May burst if heated.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage, use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.