

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

1. IDENTIFICATION OF THE SUBSTANCE/MIWTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identification Product name: GLUE REMOVER 1L **Article number:** F100011

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses Main use category: Professional use, industrial use.

Uses advised against No additional information available.

1.3 Details of the supplier of the safety data sheet

Company:	MULTITASK INDUSTRIES
	KARNEMELKSTRAAT 12
	9060 ZELZATE / BELGIUM
	TEL : +32 (0)9 282 43 61
	FAX : +32 (0)9 337 04 96
	HOMEPAGE: www.multitaskindustries.be
	EMAIL: info@multitaskindustries.be

Information department:

Technical information: info@multitaskindustries.be

1.4 Emergency telephone number: Poison control centre (Brussels): +32 (0)70 245 245.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
Classification according to Regulation (EC) No. 1272/2008 [CLP]	
Flammable liquids, Category 3	H226
Skin corrosion/irritation, Category 2	H315
Skin sensitisation, Category 1	H317
Specific target organ toxicity - single exposure, Category 3, Narcosis	H336
Aspiration hazard, Category 1	H304
Hazardous to the aquatic environment – Acute hazard, Category 1	H400
Hazardous to the aquatic environment – Chronic hazard, Category 3	H412

Full text of H- and EUH-statements: see section 16.

Adverse physicochemical, human health and environmental effects: Flammable liquid and vapour. May cause drowsiness or dizziness. Causes skin irritation. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Very toxic to aquatic life with long lasting effects.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

<u>Revision date:</u> 15/08/2023

GLUE REMOVER 1 L

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP):



Signal word (CLP): Danger.

Contains: (R)-p-mentha-1,8-diene; d-limonene; Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic.

Hazard statements (CLP):

- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP):

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P261 Avoid breathing vapours, gas, mist, fume, dust, spray.
- P264 Wash hands, forearms and face thoroughly after handling.
- P280 Wear protective gloves, protective clothing, eye protection.

P301+P310+P331 IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do NOT induce vomiting.

P391 Collect spillage.

2.3 Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %.





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C10, n- alkanes, iso alkanes, cyclic, <2% aromatic	EC-No.: 927-241-2 REACH-no: 01-2119471843-32	30-60	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
(R)-p-mentha-1,8-diene; d- limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-096-00-2	30-60	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412

Full text of H- and EUH-statements: see section 16.

4. FIRST AID MEASURES

4.1 Description of first aid measures

First-aid measures general: Call a physician immediately.

First-aid measures after inhalation: Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact: Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact: Rinse eyes with water as a precaution.

First-aid measures after ingestion: Do not induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms/effects: May cause drowsiness or dizziness.

Symptoms/effects after skin contact: Irritation. May cause an allergic skin reaction.

Symptoms/effects after ingestion: Risk of lung oedema.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray. Dry powder. Foam. Carbon dioxide. **Unsuitable extinguishing media:** Do not use a heavy water stream.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

5.2 Special hazards arising from the substance or mixture

Fire hazard: Flammable liquid and vapour.

Reactivity in case of fire: Product is not explosive.

Hazardous decomposition products in case of fire: Toxic fumes may be released.

5.3 Advice for firefighters

Protection during firefighting: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Emergency procedures: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

For emergency responders

Protective equipment: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

For containment: Collect spillage.

Methods for cleaning up: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.

Other information: Dispose of materials or solid residues at an authorized site

6.4 Reference to other sections

For further information refer to section 13.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Precautions for safe handling: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes.

Hygiene measures: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures: Ground/bond container and receiving equipment.

Storage conditions: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Safety Data Sheet GLUE REMOVER 1 L



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

7.3 Specific end use(s)

No additional information available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

National occupational exposure and biological limit values: No additional information available. Recommended monitoring procedures: No additional information available. Air contaminants formed: No additional information available.

Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic				
DNEL/DMEL (Worker)				
Long-term - systemic effects, dermal	208 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	871 mg/m ³			
DNEL/DMEL (General population)				
Long-term - systemic effects, oral	125 mg/kg bodyweight/day			
Long-term - systemic effects, inhalation	185 mg/m ³			
Long-term - systemic effects, dermal	125 mg/kg bodyweight/day			

Control banding: No additional information available.

8.2 Exposure controls

Appropriate engineering controls: Ensure good ventilation of the workstation.

Personal protection equipment

Personal protective equipment symbol(s):



Eye and face protection Eye protection: Safety glasses. Skin protection Skin and body protection: Wear suitable protective clothing. Hand protection: Protective gloves.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. **Thermal hazards:** No additional information available. **Environmental exposure controls:** Avoid release to the environment.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
Physical state:	Liquid.	
Appearance:	Liquid.	
Colour:	Colourless.	
Odour:	Characteristic.	

Safety Data Sheet GLUE REMOVER 1 L



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

Odour threshold:	Not available.
Melting point:	Not applicable.
Freezing point:	Not available.
Boiling point:	Not available.
Flammability:	Not applicable.
Lower explosion limit:	Not available.
Upper explosion limit:	Not available.
Flash point:	Not available.
Auto-ignition temperature:	Not available.
Decomposition temperature:	Not available.
pH:	Not available.
Viscosity, kinematic:	< 20,5 mm²/s.
Solubility:	Not available.
Partition coefficient n-octanol/water (Log Kow):	Not available.
Vapour pressure:	Not available.
Vapour pressure at 50°C:	Not available.
Density:	0,78 - 0,88 g/cm ³ (estimated value).
Relative density:	Not available.
Relative vapour density at 20°C:	Not available.
Particle characteristics:	Not applicable.

9.2 Other information

Information regarding physical hazard classes: No additional information available. **Other safety characteristics:** No additional information available.

10. STABILITY AND REACTIVITY

10.1 Reactivity

Flammable liquid and vapour.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions.

No dangerous reactions known under normal conditions of use.

10.4 Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5 Incompatible materials

No additional information available.

10.6 Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

1



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

11. TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral): Not classified.

Acute toxicity (dermal): Not classified.

Acute toxicity (inhalation): Not classified.

Skin corrosion/irritation: Cause skin irritation.

Serious eye damage/irritation: Not classified.

Respiratory or skin sensitisation: May cause an allergic skin reaction.

Germ cell mutagenicity: Not classified.

Carcinogenicity: Not classified.

Reproductive toxicity: Not classified.

STOT-single exposure: May cause drowsiness or dizziness.

Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure: Not classified.

Aspiration hazard: May be fatal if swallowed and enters airways.

Glue Remover 1 L

Viscosity, kinematic < 20,5 mm²/s

11.2 Information on other hazards

No additional information available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Ecology – general: Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term (acute): Very toxic to aquatic life.

Hazardous to the aquatic environment, long–term (chronic): Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

No additional information available.

12.3 Bioaccumulative potential

No additional information available.

12.4 Mobility in soil

No additional information available.

12.5 Results of PBT and vPvB assessment

No additional information available.

12.6 Endocrine disrupting properties

No additional information available.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

12.7 Other adverse effects

No additional information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste treatment methods: Dispose of contents/container in accordance with licensed collector's sorting instructions.

Additional information: Flammable vapours may accumulate in the container.

14. TRANSPORT INFORMATION

In accordance with ADR/IMDG/IATA/ADN/RID

14.1 UN number or ID number

ADR: UN 3295 IMDG: UN 3295 IATA: UN 3295 ADN: UN 3295 RID: UN 3295

14.2 UN proper shipping name
UN proper shipping name (ADR): HYDROCARBONS, LIQUID, N.O.S
UN proper shipping name (IMDG): HYDROCARBONS, LIQUID, N.O.S.
UN proper shipping name (IATA): Hydrocarbons, liquid, n.o.s.
UN proper shipping name (ADN): HYDROCARBONS, LIQUID, N.O.S
UN proper shipping name (RID): HYDROCARBONS, LIQUID, N.O.S
UN proper shipping name (RID): HYDROCARBONS, LIQUID, N.O.S
UN proper shipping name (RID): HYDROCARBONS, LIQUID, N.O.S
Transport document description (ADR): UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, (D/E), ENVIRONMENTALLY HAZARDOUS
Transport document description (IMDG): UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, MARINE POLLUTANT/ENVIRONMENTALLY HAZARDOUS
Transport document description (IATA): UN 3295 Hydrocarbons, liquid, n.o.s., 3, III, ENVIRONMENTALLY HAZARDOUS
Transport document description (ADN): UN 3295 HydroCARBONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS

Transport document description (RID): UN 3295 HYDROCARBONS, LIQUID, N.O.S., 3, III, ENVIRONMENTALLY HAZARDOUS

14.3 Transport hazard class(es) ADR: 3





according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L



 14.4 Packing group

 ADR: III

 IMDG: III

 IATA: III

 ADN: III

 RID: III

14.5 Environmental hazards ADR Dangerous for the environment: Yes

IMDG Dangerous for the environment: Yes Marine pollutant: Yes

IATA Dangerous for the environment: Yes

ADN Dangerous for the environment: Yes

RID Dangerous for the environment: Yes

Other information: No additional information available.

14.6 Special precautions for user Overland transport

Classification code (ADR): F1 Limited quantities (ADR): 5 L Excepted quantities (ADR): E1 Packing instructions (ADR): P001, IBC03, LP01, R001 Mixed packing instructions (ADR): MP19 Portable tank and bulk container instructions (ADR): T4 Portable tank and bulk container special precautions (ADR): TP1, TP29 Tank code (ADR): LGBF

Safety Data Sheet GLUE REMOVER 1 L



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

Vehicle for tank carriage: FL Transport category (ADR): 3 Special provisions for carriage - Packages (ADR): V12 Special provisions for carriage – Operation (ADR): S2 Hazard identification number (Kemler No.): 30 Orange plates:

3295

Tunnel restriction code (ADR): D/E EAC code: 3YE

Transport by sea

Special provisions (IMDG): 223 Packing instructions (IMDG): P001, LP01 IBC packing instructions (IMDG): IBC03 Tank instructions (IMDG): T4 Tank special provisions (IMDG): TP1, TP29 EmS-No. (Fire): F-E EmS-No. (Spillage): S-D Stowage category (IMDG): A Properties and observations (IMDG): Inmiscible with water.

Air transport

PCA Excepted quantities (IATA): E1 PCA Limited quantities (IATA): Y344 PCA limited quantity max net quantity (IATA): 10 L PCA packing instructions (IATA): 355 PCA max. net quantity (IATA): 60 L CAO packing instructions (IATA): 366 CAO max. net quantity (IATA): 220 L Special provisions (IATA): A3, A224 ERG code (IATA): 3 L

Inland waterway transport

Classification code (ADN): F1 Limited quantities (ADN): 5 L Excepted quantities (ADN): E1 Carriage permitted (ADN): T Equipment required (ADN): PP, EX, A Ventilation (ADN): VE01 Number of blue cones/lights (ADN): 0

Rail transport

Classification code (RID): F1 Excepted quantities (RID): E1 Packing instructions (RID): P001, IBC03, LP01, R001 Mixed packing provisions (RID): MP19 Portable tank and bulk container instructions (RID): T4 Portable tank and bulk container special provisions (RID): TP1, TP29 Tank codes for RID tanks (RID): LGBF Transport category (RID): 3



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

Special provisions for carriage - Packages (RID): W12 Colis express (express parcels) (RID): CE4 Hazard identification number (RID): 30

14.7 Maritime transport in bulk according to IMO instruments

Not applicable.

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	Glue Remover 1 L; (R)- p-mentha-1,8-diene; d- limonene ; Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4,
		2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F.
3(c)	Glue Remover 1 L; (R)- p-mentha-1,8-diene; d- limonene ; Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC)
		No 1272/2008: Hazard class 4.1.
3(b)	Glue Remover 1 L; (R)- p-mentha-1,8-diene; d- limonene ; Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10.
40.	(R)-p-mentha-1,8-diene; d-limonene; Hydrocarbons, C9-C10, n-alkanes, iso alkanes, cyclic, <2% aromatic	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List): Contains no substance(s) listed on REACH Annex XIV (Authorisation List). *REACH Candidate List (SVHC):* Contains no substance(s) listed on the REACH Candidate List.

PIC Regulation (Prior Informed Consent): Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals).

POP Regulation (Persistent Organic Pollutants): Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants).

Ozone Regulation (1005/2009): Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer).



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

Explosives Precursors Regulation (2019/1148): Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors).

Drug Precursors Regulation (273/2004): Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances).

National regulations: /

15.2 Chemical safety assessment

No chemical safety assessment has been carried out.

16. OTHER INFORMATION

Abbreviations and acronyms:

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ATE: Acute Toxicity Estimate. BCF: Bioconcentration factor. CLP: Classification Labelling Packaging Regulation; Regulation (EC) No. 1272/2008. DMEL: Derived Minimum Effect Level. DNEL: Derived No Effect Level. DPD: Dangerous Preparations Directive 1999/45/EC. DSD: Dangerous Substances Directive 67/548/EEC. EC50: Median effective concentration. IARC: International Agency for Research on Cancer. IATA: International Air Transport Association. IMDG: International Maritime Dangerous Goods. LC50: Median lethal concentration. LD50: Median lethal dose. LOAEL: Lowest Observed Adverse Effect Level. NOAEC: No-Observed Adverse Effect Concentration. NOAEL: No-Observed Adverse Effect Level. NOEC: No-Observed Effect Concentration. OECD: Organisation for Economic Co-operation and Development. PBT: Persistent, Bioaccumulative Toxic. PNEC: Predicted No-Effect Concentration. REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006. RID: Regulations concerning the International Carriage of Dangerous Goods by Rail. SDS: Safety Data Sheet. STP: Sewage treatment plant. TLM: Median Tolerance Limit. vPvB: Very Persistent and Very Bioaccumulative.

Data sources: Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. Manufacturer/Supplier. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.



according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Revision date: 15/08/2023

GLUE REMOVER 1 L

Full text of H- and EUH-statements:

Aquatic Acute 1: Hazardous to the aquatic environment – Acute Hazard, Category 1.

Aquatic Chronic 3: Hazardous to the aquatic environment – Chronic Hazard, Category 3.

Asp. Tox. 1: Aspiration hazard, Category 1.

Flam. Liq. 3: Flammable liquids, Category 3.

Skin Irrit. 2: Skin corrosion/irritation, Category 2.

Skin Sens. 1B: Skin sensitisation, Category 1B.

STOT SE 3: Specific target organ toxicity – Single exposure, Category 3, Narcosis.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H412: Harmful to aquatic life with long lasting effects.

The classification complies with: ATP 12

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage, use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.