

Revision date: 12/12/2023

HEAVY GREASE

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/ UNDERTAKING

1.1 Product identifier Product name: HEAVY GREASE **Code number:** E100006

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified uses: Lubricants. **Uses advised against:** None known.

1.3 Details of the supplier of the safety data sheet

MULTITASK INDUSTRIES KARNEMELKSTRAAT 12 9060 ZELZATE / BELGIUM TEL : +32 (0)9 282 43 61 FAX : +32 (0)9 337 04 96 HOMEPAGE: www.multitaskindustries.be EMAIL: info@multitaskindustries.be

Information department:

Company:

Technical information: info@multitaskindustries.be

1.4 Emergency telephone number: Poison control centre (Brussels): +32 (0)70 245 245

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

Physical hazards:	
Aerosols, category 1	H222 Extremely flammable aerosol.
77777	H229 Pressurized container: May burst if heated.

Health hazards:

Skin corrosion/irritation, category 2H315 Causes skin irritationSpecific target organ toxicity – single exposure,
category 3, narcotic effectsH336 May cause drowsiness or dizziness.Environmental hazards:H336 May cause drowsiness or dizziness.

Hazardous to the aquatic environment, long-term aquatic hazard, category 3

H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements <u>Labelling according to Regulation (EC) No 1272/2008 as amended</u> Hazard pictograms:



Revision date: 12/12/2023

HEAVY GREASE

Signal word: Danger.

Contains: Cyclopentane, hydrocarbons,C6,isoalkanes,< 5% n-hexane

Hazard statement(s):

- H222 Extremely flammable aerosol.
- H229 Pressurized container: May burst if heated.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements:

Prevention:

- P102 Keep out of reach of children.
- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Pressurised container: Do not pierce or burn, even after use.
- P261 Avoid breathing mist/vapours.
- P271 Use only outdoors or in a well-ventilated area.

Response: Not assigned.

Storage:

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

٤.,

Supplemental label information: None.

2.3 Other hazards

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII. The product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

2.2 11:--

3.2 Mixtures					
Chemical Name	REACH	CAS-No./	%	Classification	Index number
	Registration No.	EC-No.			
GLYCINE, -	01-2119488991-20	110-25-8	<0,5	Acute Tox. 4; H332;	-
N-methyl-N-(1-oxo-9-		203-749-3		(ATE: 11 mg/l),	
octadecenyl)-,				Skin Irrit. 2; H315,	
(Z)-				Eye Dam. 1; H318,	
				Aquatic Acute 1; H400	
Cyclopentane	01-2119463053-47	287-92-3	5 - 10	Flam. Liq. 2; H225,	601-030-00-2
		206-016-6		STOT SE 3; H336,	
				Asp. Tox. 1; H304,	

Safety Data Sheet HEAVY GREASE



Revision date: 12/12/2023

HEAVY GREASE

				Aquatic Chronic 3; H412	
hydrocarbons,C6,isoalkane	01-2119484651-34	-	<10	Flam. Liq. 2; H225,	649-328-00-1
s,< 5% n-hexane		931-254-9		Skin Irrit. 2; H315,	
				STOT SE 3; H336,	
				Asp. Tox. 1; H304,	
				Aquatic Chronic 2; H411	

List of abbreviations and symbols that may be used above:

ATE: Acute toxicity estimate.

M: M-factor.

PBT: persistent, bioaccumulative and toxic substance.

zPzB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

#: This substance has been assigned Union workplace exposure limit(s).

Composition comments: The full text for all H-statements is displayed in section 16.

4. FIRST AID MEASURES

General information: Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

4.1 Description of first aid measures

First aid after eye contact: Rinse with water. Get medical attention if irritation develops and persists. **First aid after skin contact:** Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

First aid after inhalation: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison centre or doctor/physician if you feel unwell.

First aid after ingestion: In the unlikely event of swallowing contact a physician or poison control centre. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

May cause drowsiness or dizziness. Headache. Nausea, vomiting. Skin irritation. May cause redness and pain.

4.3 Indication of any immediate medical attention and special treatment needed Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

5. FIREFIGHTING MEASURES

General fire hazards: Extremely flammable aerosol.

5.1 Extinguishing media

Suitable extinguishing media: Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). **Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.



Revision date: 12/12/2023

HEAVY GREASE

5.2 Special hazards arising from the substance or mixture

Contents under pressure. Pressurised container may explode when exposed to heat or flame. During fire, gases hazardous to health may be formed.

5.3 Advice for firefighters

Special protective equipment for firefighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. **Special fire fighting procedures:** Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapour pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.

Specific methods: Use standard firefighting procedures and consider the hazards of other involved materials. In the event of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapours. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Do not touch or walk through spilled material.

For emergency responders: Keep unnecessary personnel away. Avoid breathing mist/vapours. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

6.2 Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

 \mathcal{L}_{ij}

6.3 Methods and material for containment and cleaning up

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. The product is immiscible with water and will spread on the water surface. Prevent product from entering drains. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

6.4 Reference to other sections

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Pressurised container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. All equipment used when handling the product must be grounded. Do not re-use empty



Revision date: 12/12/2023

HEAVY GREASE

containers. Avoid breathing mist/vapours. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

7.2 Conditions for safe storage, including any incompatibilities

Pressurized container. Protect from sunlight and do not expose to temperatures exceeding 50°C. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. This material can accumulate static charge which may cause spark and become an ignition source. Store away from incompatible materials (see Section 10 of the SDS). Storage class (TRGS 510): 2B (Aerosol dispensers and lighters).

7.3 Specific end use(s)

Not available.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits – Belgium:				
Туре	Value			
TWA 15 min.	10 mg/m ³			
TWA 8 h	5 mg/m^3			
	TypeTWA 15 min.			

Exposure limit values – Belgium:		
Components	Туре	Value
Cyclopentane (CAS 287-92-3)	TWA 8 h	1800 mg/m ³
		600 ppm

5

Biological limit values: No biological exposure limits noted for the ingredient(s). **Recommended monitoring procedures:** Follow standard monitoring procedures.

Derived no effect levels (DNEL's)

General population	NN S		
Components	Value	Assessment factor	Notes
Cyclopentane (CAS 287-92-3)			
Long term, systemic, inhalation	643 mg/m ³	5	Repeated dose toxicity
Long term, systemic, oral	214 mg/kg bw/day	5	Repeated dose toxicity
Long term, systemic, dermal	214 mg/kg bw/day	5	Repeated dose toxicity
hydrocarbons,C6,isoalkanes,< 5% r	-hexane (CAS -)		
Long term, systemic, inhalation	1131 mg/kg bw/day		
Long term, systemic, oral	1301 mg/kg bw/day		
Long term, systemic, dermal	1377 mg/kg bw/day		

Workers					
Components	Value	Assessment factor	Notes		
Cyclopentane (CAS 287-92-3)					
Long term, systemic, inhalation	3000 mg/m ³	3	Repeated dose toxicity		
Long term, systemic, dermal	432 mg/kg bw/day	3	Repeated dose toxicity		
hydrocarbons,C6,isoalkanes,< 5% n-hexane (CAS -)					
Long term, systemic, inhalation	5306 mg/m ³				



Revision date: 12/12/2023

HEAVY GREASE

Long term, systemic, dermal	13964 mg/kg bw/day	

Predicted no effect concentrations (PNECs): Not available.

8.2 Exposure controls

Appropriate engineering controls: Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment.

Eye/face protection: Wear safety glasses with side shields (or goggles). Use eye protection conforming to EN 166.

Skin protection

Hand protection: When handling the product wear chemical-resistant gloves (standard EN 374). The breakthrough time of the glove should be longer than the total duration of product use. If work lasts longer than the breakthrough time, gloves should be changed part-way through. Suitable gloves can be recommended by the glove supplier. Nitrile gloves are recommended.

Other: Wear appropriate chemical resistant clothing.

Respiratory protection: In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with organic vapour cartridge and full facepiece. (Filter type AX). **Thermal hazards:** Wear appropriate thermal protective clothing, when necessary.

Hygienic measures: When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Environmental exposure controls: Inform appropriate managerial or supervisory personnel of all environmental releases. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. Fume scrubbers, filters or engineering modifications to the process equipment may be necessary to reduce emissions to acceptable levels.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and	chemical properties
Physical state:	Liquid.
Form:	Aerosol.
Colour:	Off-white.
Odour:	Characteristic odour.
Melting point/freezing point:	-93,9 °C (-137 °F) estimated
Initial boiling point and boiling range	: 48 °C (118,4 °F) estimated
Flammability:	Not available.
Explosive limit - lower (%):	1 % estimated
Explosive limit - upper (%):	8,7 % estimated

Safety Data Sheet HEAVY GREASE



Revision date: 12/12/2023

HEAVY GREASE

Flash point:

Auto-ignition temperature: Decomposition temperature: pH: Kinematic viscosity: Solubility (water): Vapour pressure: Relative density: Vapour density: Particle characteristics: -0,001 °C (32,0 °F) estimated -20,0 °C (-4,0 °F) closed cup Not available. Not available. Not applicable. Not available. Insoluble in water. 3000 hPa estimated 0,79 g/cm³ at 20°C Not available. Not available.

9.2 Other information

Information on physical hazard classes: No relevant additional information available. Other safety features: Evaporation rate: Not applicable. VOC: 495 g/l 49% estimated

10. STABILITY EN REACTIVITY

10.1 Reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2 Chemical stability

Material is stable under normal conditions.

10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

10.4 Conditions to avoid

Avoid high temperatures.

10.5 Incompatible materials

Strong oxidising agents. Chlorine. Fluorine.

10.6 Hazardous decomposition products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

General information: Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation: May cause drowsiness or dizziness. Headache. Nausea, vomiting. Prolonged inhalation may be harmful.

Skin contact: Causes skin irritation.



Revision date: 12/12/2023

HEAVY GREASE

Eye contact: Direct contact with eyes may cause temporary irritation.

Ingestion: May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms: May cause drowsiness or dizziness. Headache. Nausea, vomiting. Skin irritation. May cause redness and pain.

11.1 Information on toxicological effects

Acute toxicity: Based on available data, the classification criteria are not met.

Classification-relevant LD/LC50 values:					
hydrocarbons,C6,is	oalkanes,< 5% n-hexa	ne			
Acute – Dermal	LD50	Rabbit	3350 mg/kg, 4h		
Acute – Inhalation	LD50	Rat	259354 mg/m ³		
Acute – Oral	LD50	Rat	16750 mg/kg		

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Direct contact with eyes may cause temporary irritation.

Respiratory and skin sensitisation: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity - single exposure: May cause drowsiness or dizziness.

Specific target organ toxicity – repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Not likely, duet o the form of the product. Mixture versus substance information: Not available.

11.2 Information on other hazards

Endocrine disrupting properties: The product does not contain any components considered to have endocrine disrupting properties according to REACH Article 57 (f) or Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at concentrations of 0.1% or higher. **Other information:** Not available.

12. ECOLOGICAL INFORMATION

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

hydrocarbons,C6,isoalkanes,< 5% n-hexane					
Acute – Other	EC50	Pseudokirchnerella subcapitata	13,6 mg/l, 72 hours		
	NOEC	Pseudokirchnerella subcapitata	3 mg/l, 72 hours		
Aquatic					
Acute – Crustacea	EC50	Daphnia magna	31,9 mg/l, 48 hours		
	NOEC	Daphnia magna	7,14 mg/l, 21 days		
Acute – Fish	EC50	Rainbow trout	18,3 mg/l, 96 hours		
	NOEC	Rainbow trout	4,09 mg/l, 28 days		

Safety Data Sheet HEAVY GREASE



Revision date: 12/12/2023

HEAVY GREASE

12.2 Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow): cyclopentane 3. **Bioconcentration factor (BCF):** Not available.

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

This mixture does not contain substances assessed to be vPvB / PBT according to Regulation (EC) No 1907/2006, Annex XIII.

12.6 Endocrine disrupting properties

The product does not contain any components considered to have endocrine disrupting properties according to REACH Article 57 (f) or Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at concentrations of 0.1% or higher.

12.7 Other adverse effects

The product contains volatile organic compounds which have a photochemical ozone creation potential. GWP: 2

Substance Global Warming Potential per (Annex IV), Regulation 517/2014/EU on fluorinated greenhouse gases, as amended: Cyclopentane (CAS 287-92-3) 5.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Residual waste: Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging: Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not re-use empty containers.

EU waste code: The Waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Disposal methods/information: Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Contents under pressure. Do not puncture, incinerate or crush. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. **Special precautions:** Dispose in accordance with all applicable regulations.



Revision date: 12/12/2023

HEAVY GREASE

14. TRANSPORT INFORMATION

14.1 UN number ADR: UN1950 **IMDG:** UN1950 **IATA:** UN1950

14.2 UN proper shipping name ADR: AEROSOLS **IMDG:** AEROSOLS **IATA:** AEROSOLS

14.3 Transport hazard class(es)



Class: 2.1 Subsidiary risk: Not assigned. Label(s): 2.1 Hazard no. (ADR): Not assigned. Tunnel restriction code: D ADR/RID-Classification code: 5F

IMDG, IATA



Class: 2.1 Subsidiary risk: Not assigned.

14.4 Packing group ADR: Not assigned. **IMDG:** Not assigned. **IATA:** Not assigned.

14.5 Environmental hazards ADR: No. IATA: No. ERG Code: 10L IMDG: Marine pollutant: No. EmS: F-D, S-U

14.6 Special precautions for user

Read safety instructions, SDS and emergency procedures before handling.



Revision date: 12/12/2023

HEAVY GREASE

IATA:

Other information: Passenger and cargo aircraft: Allowed with restrictions. Cargo aircraft only: Allowed with restrictions.

14.7 Sea transport in bulk according to IMO regulations Not established.

15. REGULATORY INFORMAITON

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended: Not listed.

Regulation (EU) 2019/1021 On persistent organic pollutants (recast), as amended: Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended: Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended: Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended: Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended: Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended: Not listed. Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA: Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended: Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended: Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens or mutagens at work, as amended: Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended: cyclopentane (CAS 287-92-3)

Other regulations

The product is classified and labeled in accordance with Regulation (EC) No 1272/2008 (CLP Regulation) as amended. This safety data sheet complies with the requirements of Regulation (EC) No 1907/2006 as amended.

National regulations

Follow national regulations for working with chemicals in accordance with Directive 98/24/EC, as amended.



Revision date: 12/12/2023

HEAVY GREASE

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out.

16. OTHER INFORMATION

Explanation hazard statements:

- H225 Highly flammable liquid and vapor.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

ADN: European Agreement Concerning the International Carriage of Dangerous Goods by Inland Waterways.

ADR: European Agreement Concerning the International Carriage of Dangerous Goods by Road.

AGW: Occupational threshold limit value (Arbeitsplatzgrenzwert - Germany).

ATE: Acute Toxicity Estimate according to REGULATION (EC) No 1272/2008 (CLP).

CAS: Chemical Abstract Service.

Ceiling: Short Term Exposure Limit Ceiling value.

CEN: European Committee for Standardization.

CLP: Classification, Labeling and Packaging REGULATION (EC) No 1272/2008 on classification, labeling and packaging of substances and mixtures.

GWP: Global Warming Potential.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk.

IMDG: International Maritime Dangerous Goods.

MAC: Maximum Allowed Concentration.

MAK: Threshold limit values Germany (Maximale Arbeitsplatzkonzentration - DFG).

MARPOL: International Convention for the Prevention of Pollution from Ships.

PBT: Persistent, bioaccumulative and toxic.

REACH: Registration, Evaluation and Authorization of Chemicals (REGULATION (EC) No 1907/2006

concerning Registration, Evaluation Authorization and Restriction of Chemicals).

RID: Regulations concerning the international carriage of dangerous goods by rail (Règlement International concernant le transport de marchandises dangereuses par chemin de fer).

STEL: Short term exposure limit.

TLV: Threshold Limit Value.

TWA: Time Weighted Average.

VLE: Exposure Limit Value.

VME: Exposure Average Value.

VOC: Volatile organic compounds.

vPvB: Very persistent and very bioaccumulative.

STEL: Short-term Exposure Limit.

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage,



Revision date: 12/12/2023

HEAVY GREASE

use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.

