

According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Name: S-MTSEAL GRIJS Code: D600001

Company:

1.2 Relevant identified uses of the substance or mixture and uses advised against Recommended use: Sealant.

Uses advised against: Not to be used in production of toys or childcare articles.

1.3 Details of the supplier of the safety data sheet

MULTITASK INDUSTRIES KARNEMELKSTRAAT 12 9060 ZELZATE / BELGIË TEL: +32 (0)9 282 43 61 FAX: +32 (0)9 337 04 96 HOMEPAGE: www.multitaskindustries.be EMAIL: info@multitaskindustries.be

Information department:

Technical information: info@multitaskindustries.be

1.4 Emergency telephone number: Poison control centre (Brussels): +32 (0)70 245 245.

2. HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Not classified.

2.2 Label elements

Not classified.

Signal word: None.

Hazard statements: Not classified.

EU Specific Hazard Statements:

EUH208	Contains Dioctyltinbis(acetylacetonate). May produce an allergic reaction.
EUH210	Safety data sheet available on request.
EUH211	Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or
	mist.

2.3 Other hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. **PBT and vPvB:** This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable.

3.2 Mixtures

Chemical name	EC No	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <5	Acute Tox. 4, (H332); Flam. Liq. 3, (H226)		01-2119513215-52- XXXX
Titanium dioxide	236-675-5	13463-67-7	1 - <2,5	Carc. 2 (H351i)	5	01-2119489379-17- XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0,1 <1	STOT SE 2 (H371); Skin Sens. 1 (H317)	Skin Sens. 1: C>=5%	01-0000020199-67- XXXX

Full text of H- and EUH-phrases: see section 16.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59).

4. FIRST AID MEASURES

4.1 Description of first aid measures

General advice: If medical advice is needed, have product container or label at hand.

First aid after inhalation: Remove to fresh air. If symptoms persist, call a doctor.

First aid after eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

First aid after skin contact: Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.

First aid after ingestion: Call a doctor immediately. If swallowed, rinse mouth with water (only if the person is conscious). Drink 1 or 2 glasses of water. Small amounts of toxic methanol are released by hydrolysis.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms: None known.

4.3 Indication of any immediate medical attention and special treatment needed

Note to doctors: Treat symptomatically. Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media: Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. **Unsuitable extinguishing media:** Full water jet.

5.2 Special hazards arising from the substance or mixture

Specific hazards arising from the chemical: Thermal decomposition can lead to release of irritating gases and vapours.

Hazardous combustion products: Carbon dioxide (CO2). Carbon monoxide.

5.3 Advice for firefighters

Special protective equipment for fire-fighters: Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions: Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. **Other information:** Ventilate the area. Prevent further leakage or spillage if safe to do so. **For emergency responders:** Use personal protection recommended in Section 8.

6.2 Environmental precautions

Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.

6.3 Methods and material for containment and cleaning up

Methods for containment: Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Methods for cleaning up: Take up mechanically, placing in appropriate containers for disposal.

6.4 Reference to other sections

See section 8 for more information. See section 13 for more information.

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling: Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

General hygiene considerations: Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Storage Conditions: Protect from moisture. Keep at temperatures between 5 and 35 °C. Keep away from food, drink and animal feeding stuffs.



Safety Data Sheet According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

7.3 Specific end use(s)

Specific use(s): Sealant.

Risk Management Methods (RMM): The information required is contained in this Safety Data Sheet. **Other information:** Observe technical data sheet.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Exposure limits: Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon Curing.

Methyl alcohol (67-56-1)						
EU	TWA: 200 ppm					
EU	TWA: 260 mg/m ³					

Derived No Effect Level (DNEL): No information available.

Derived No Effect Level (DNEL)					
Titanium dioxide (13463-67-7)					
DNEL (Workers)					
Long term – local health effects, inhalation 10 mg/m ³					
DNEL (Consumer)					
Long term – systemic health effects, oral 700 mg/kg bw/d					

Trimethoxyvinylsilane (2768-02-7)				
DNEL (Workers)				
Long term – systemic health effects, dermal	3,9 mg/kg bw/d			
Long term – systemic health effects, inhalation	27,6 mg/m ³			
DNEL (Consumer)				
Long term – systemic health effects, inhalation	18,9 mg/m ³			
Long term – systemic health effects, dermal	7,8 mg/kg bw/d			
Long term – systemic health effects, oral	0,3 mg/kg bw/d			

Dioctyltin bis(acetylacetonate) (54068-28-9)	
DNEL (Workers)	
Long term – systemic health effects, dermal	0,07 mg/kg bw/d
Short term – systemic health effects, inhalation	84 mg/m ³
Long term – systemic health effects, inhalation	84 mg/m ³
Long term/short term – local health effects, inhalation	0,091 mg/m ³

Predicted No Effect Concentration (PNEC): No information available.

Predicted No Effect Concentration (PNEC)					
Titanium dioxide (13463-67-7)					
PNEC (Environment)					
Environmental compartment Predicted No Effect Concentration (PNEC)					
PNEC (Water)					
PNEC aqua (Marine water) 0,0184 mg/l					
PNEC aqua (Freshwater) 0,184 mg/l					



Safety Data Sheet According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS						
PNEC aqua (Freshwater, intermittent)	0,193 mg/l					
PNEC (Sediments)						
PNEC sediment (freshwater)	1000 mg/kg					
PNEC sediment (marine water)	100 mg/kg					
PNEC (Soil)						
PNEC (Soil)	100 mg/kg					
PNEC (STP)						
PNEC (microorganisms in sewage treatment)	100 mg/l					
Trimethoxyvinylsilane (2768-02-7)						
PNEC (Environment)						
Environmental compartment	Predicted No Effect Concentration (PNEC)					
PNEC (Water)						
PNEC aqua (Marine water)	0,034 mg/l					
PNEC aqua (Freshwater)	0,34 mg/l					
PNEC (STP)						
PNEC (microorganisms in sewage treatment)	110 mg/l					
Dioctyltinbis(acetylacetonate) (54068-28-9)						
PNEC (Environment)						
Environmental compartment	Predicted No Effect Concentration (PNEC)					
PNEC (Water)						
PNEC aqua (Marine water)	2,6 µg/l					
PNEC aqua (Freshwater)	26 µg/l					
PNEC aqua (Freshwater, intermittent)	260 μg/l					
PNEC (Sediments)						
PNEC sediment (freshwater)	0,155 mg/kg dry weight					
PNEC sediment (marine water)	0,0155 mg/kg dry weight					
PNEC (Soil)						
PNEC (Soil)	0,0158 mg/kg dry weight					
PNEC (STP)						
PNEC (Sewage treatment plant)	1 mg/l					

8.2 Exposure controls

Engineering controls: Ensure adequate ventilation, especially in confined areas.

0

Personal Protective Equipment:

Eye/face protection: Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166.

Hand protection: Wear suitable gloves. Recommended Use: Nitrile rubber. Butyl rubber. NeopreneTM. Glove thickness > 0.7mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374.

Skin and body protection: None under normal use conditions.

Respiratory protection: In case of inadequate ventilation wear respiratory protection. During spraying wear suitable respiratory equipment. Wear a respirator conforming to EN 140 with Type A/P2 filter or better.

Recommended filter type: Organic gases and vapours filter conforming to EN 14387. White. Brown. **Environmental exposure controls:** Do not allow uncontrolled discharge of product into the environment.



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

Liquid.

Paste.

Grey.

Characteristic.

No data available.

No data available.

No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Physical state: Appearance: Colour: Odour: Odour threshold: pH: Melting point/freezing point: **Boiling point/boiling range:** Flash point: **Evaporation rate:** Flammability (solid, gas): Flammability Limit in Air: **Upper flammability or explosive limits:** Lower flammability or explosive limits: Vapour pressure: Vapour density: **Relative density:** Water solubility: Solubility(ies): **Partition coefficient:** Autoignition temperature: **Decomposition temperature:** Kinematic viscosity (at 40 °C): **Dynamic viscosity: Explosive properties: Oxidizing properties:**

9.2 Other information Solid content (%): VOC Content (%): Density:

No data available. > 100 °C No data available. Not applicable for liquids. No data available. No data available. No data available. No data available. 1.44 Insoluble in water. Product cures with moisture. No data available. No data available. No data available. No data available. >21 mm²/s No data available. No data available. No data available. 5

No information available. Approx. 51 g/L / 3.55 % 1.44 g/cm³

10. STABILITY AND REACTIVITY

10.1 Reactivity Product cures with moisture.

10.2 Chemical stability

Stability: Stable under normal conditions. Explosion data: Sensitivity to mechanical impact: None. Sensitivity to static discharge: None.



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

10.3 Possibility of hazardous reactions

None under normal processing.

10.4 Conditions to avoid

Protect from moisture.

10.5 Incompatible materials

None known based on information supplied.

10.6 Hazardous decomposition products

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing.

11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects <u>Information on likely routes of exposure</u> Product information:

Inhalation: Based on available data, the classification criteria are not met. **Eye contact:** Based on available data, the classification criteria are not met. **Skin contact:** Based on available data, the classification criteria are not met.

Ingestion: Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms: None known.

Numerical measures of toxicity

Acute toxicity: The following values are calculated based on chapter 3.1 of the GHS document. ATEmix (dermal): 4217.50 mg/kg ATEmix (inhalation-vapour): 473.27 mg/l

Component information:

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	>10000 mg/kg (Rattus)	LD50 > 10000 mg/Kg	>5 mg/l
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 = 2500 mg/kg (Rat)	LD50 >2000 mg/kg (Rattus)	

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Component Information:

Trimethoxyvinylsilane (2768-02-7)						
Method	od Species Exposure route Effective dose Exposure time Results					
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant.	



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

 Component Information:

 Trimethoxyvinylsilane (2768-02-7)

 Method
 Species
 Exposure route
 Effective dose
 Exposure time
 Results

 OECD Test No. 405: Acute Eye Irritation/Corrosion
 Rabbit
 Eye
 24 hours
 Non-irritant.

Respiratory or skin sensitization: Based on available data, the classification criteria are not met.

Component Information:			
Trimethoxyvinylsilane (2768-02-7)			
Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitization	Guinea pig	Dermal	Not a skin sensitizer.

Dioctyltinbis(acetylacetonate) (54068-28-9)						
Method Species Exposure route Results						
OECD Test No. 429: Skin Sensitization: Local		Dermal	>5% sensitizing			
Lymph Node Assay						

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Component Information:

Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 471: Bacterial Reverse Mutation Test	In vitro	Not mutagenic.

Carcinogenicity: As Titanium dioxide (13463-67-7) is inextricably bound in the polymer matrix, it is not expected to be available as an airborne hazard (dust, mist, or spray) under normal condition of uses.

Chemical name	European Union
Titanium dioxide 13463-67-7	Carc. 2

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information:

Titanium dioxide (13463-67-7)		
Method	Species	Results
Oral	Rat	Not carcinogenic.
Inhalation Xu et al (2010), carcinogenic activity of nanoscale TiO2	Rat	Carcinogenic
administered by an intrapulmonary spraying (IPS) - initiation-promotion		
protocol in rat lung		

Reproductive toxicity: Based on available data, the classification criteria are not met.

Component Information:		
Trimethoxyvinylsilane (2768-02-7)		
Method	Species	Results
OECD Test No. 422: Combined Repeated Dose Toxicity Study with the	Rat	Not classifiable.
Reproduction/Developmental Toxicity Screening Test		



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

STOT - single exposure: Based on available data, the classification criteria are not met. STOT - repeated exposure: Based on available data, the classification criteria are not met. Aspiration hazard: Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1 Toxicity Ecotoxicity:				1
Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Titanium dioxide 13463-67-7	LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203		6	5/
Trimethoxyvinylsilane 2768-02-7	EC 50 (72h) > 957 mg/l (Desmodesmus subspicatus) EU Method C.3	LC50 (96h) =191 mg/l (Oncorhynchus mykiss)		EC50(48hr) 168.7 mg/l (Daphnia magna)
Dioctyltinbis(acetylacet onate) 54068-28-9	-	LC50 (96h) =86 mg/L (Static)		EC50 (48h) = 58.6 mg/L (Daphnia magna)

12.2 Persistence and degradability

No information available.

Component information:

Trimethoxyvinylsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready Biodegradability:	28 days	BOD	51% Not readily biodegradable
Manometric Respirometry Test (TG 301 F)			

12.3 Bioaccumulative potential

There are no data for this product.

Component information:

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane 2768-02-7	1.1	-

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

 \sim

Chemical name	PBT and vPvB assessment
Dioctyltinbis(acetylacetonate) 54068-28-9	The substance is not PBT / vPvB.
Titanium dioxide	The substance is not PBT / vPvB.
13463-67-7	PBT assessment does not apply.
Trimethoxyvinylsilane	The substance is not PBT / vPvB.
2768-02-7	



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

12.6 Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Waste from residues/unused products: Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.

Contaminated packaging: Handle contaminated packages in the same way as the product itself. **European Waste Catalogue:** 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09. **Other information:** Waste codes should be assigned by the user based on the application for which the product was used.

14. TRANSPORT INFORMATION

14.1 UN number ADR, RID, IMDG, ICAO-TI, IATA-DGR: Not regulated.

14.2 Proper Shipping Name ADR, RID, IMDG, ICAO-TI, IATA-DGR: Not regulated.

14.3 Transport hazard class(es) ADR, RID, IMDG, ICAO-TI, IATA-DGR: Not regulated.

14.4 Packing group ADR, RID, IMDG, ICAO-TI, IATA-DGR: Not regulated.

14.5 Environmental hazards Environmental hazards (ADR/RID): Not applicable. Marine pollutant (IMDG): Np. Environmental hazards (ICAO-TI/IATA-DGR): Not applicable.

14.6 Special provisions ADR, RID, IMDG, ICAO-TI, IATA-DGR: None.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.



According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union:

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work.

<u>Registration, Evaluation, Authorization, and Restriction of Chemicals (REACH) Regulation (EC</u> 1907/2006):

SVHC: Substances of Very High Concern for Authorization: This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No.1907/2006 (REACH), Article 59).

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction: This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a]

52: Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children. **Substance subject to authorization per REACH Annex XIV:** This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV).

Ozone-depleting substances (ODS) regulation (EC) 1005/2009: Not applicable.

Persistent Organic Pollutants: Not applicable.

15.2 Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture1.

16. OTHER INFORMATION

Full text of H-Statements referred to under section 3:

- H317 May cause an allergic skin reaction.
- H226 Flammable liquid and vapour.
- H332 Harmful if inhaled.
- H371 May cause damage to organs.
- H351i Suspected to provoke cancer through inhalation.

Abbreviations and acronyms:

TWA	TWA (time-weighted average).
STEL	STEL (Short Term Exposure Limit).
Ceiling	Ceiling Limit Value.
*	Skin designation.
SVHC	Substance(s) of Very High Concern.
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals.



Safety Data Sheet According to Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision date: 11/07/2023

S-MTSEAL GRIJS

vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals.
STOT RE	Specific target organ toxicity - Repeated exposure.
STOT SE	Specific target organ toxicity - Single exposure.
EWC	European Waste Catalogue.

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage, use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.