

**Safety Data Sheet**  
**According to Regulation (EC) No 1907/2006, Annex II**

Creation date: 8/06/2023

<b>FAST TOP LEVEL (COMPONENT A)</b>
-------------------------------------

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Name:** FAST TOP LEVEL (COMPONENT A)

**Code:** D100055

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses of the substance or mixture:** Adhesive.

**Uses advised against:** No information available at present.

**1.3 Details of the supplier of the safety data sheet**

**Company:** MULTITASK INDUSTRIES  
KARNEMELKSTRAAT 12  
9060 ZELZATE / BELGIË  
TEL : +32 (0)9 282 43 61  
FAX : +32 (0)9 337 04 96  
HOMEPAGE: [www.multitaskindustries.be](http://www.multitaskindustries.be)  
EMAIL: [info@multitaskindustries.be](mailto:info@multitaskindustries.be)

**Information department:**

**Technical information:** [info@multitaskindustries.be](mailto:info@multitaskindustries.be)

**1.4 Emergency telephone number:** Poison Control Centre (Brussels): +32 (0)70 245 245.

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) 1272/2008 (CLP)**

Acute toxicity, Category 4:	H332: Harmful if inhaled.
Eye irritation, Category 2:	H319: Causes serious eye irritation.
Skin sensitisation, Category 1:	H317: May cause an allergic reaction.
STOT SE, Category 3:	H335: May cause respiratory irritation.

**2.2 Label elements**

**Labelling according to Regulation (EC) 1272/2008 (CLP)**

**Hazard pictograms:**



GHS07

**Signal word:** Warning.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT A)

#### Hazard statements:

H317 May cause an allergic reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.

#### Precautionary statements:

P261 Avoid breathing vapours or spray.  
P280 Wear protective gloves/ eye protection/ face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 Call a POISON CENTRE/doctor if you feel unwell.

#### Hazardous components which must be listed on the label:

Calcium oxide  
Polyisocyanate, aliphatic

#### Additional Labelling:

EUH204 Contains isocyanates. May produce an allergic reaction.

#### 2.3 Other hazards

This mixture does not contain any vPvB substance (vPvB= very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).  
This mixture does not contain any PBT substance (PBT= persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).  
This mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

Polyisocyanate, aliphatic	
Registration number (REACH)	01-2119485796-17-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	931-274-8
CAS	28182-81-2
% Content	70-90
Classification according to Regulation (EC) 1272/2008 (CLP), M-Factors	Acute Tox. 4, H332 Skin Sens. 1, H317 STOT SE 3, H335

Calcium oxide	
Registration number (REACH)	01-2119475325-36-XXXX
Index	---
EINECS, ELINCS, NLP, REACH-IT List-No.	215-138-9

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

CAS	1305-78-8
% Content	1-2
Classification according to Regulation (EC) 1272/2008 (CLP), M-Factors	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )	
Registration number (REACH)	01-2119489379-17-XXXX
Index	022-006-002
EINECS, ELINCS, NLP, REACH-IT List-No.	236-675-5
CAS	13463-67-7
% Content	0,1-<1
Classification according to Regulation (EC) 1272/2008 (CLP), M-Factors	Carc. 2, H351 (as inhalation)

Impurities, test data and additional information may have been taken into account in classifying and labelling the product. For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

## 4. FIRST AID MEASURES

### 4.1 Description of first aid measures

**General advice:** First aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person!

**After inhalation:** Supply person with fresh air and consult doctor according to symptoms.

**After skin contact:** Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

**After eye contact:** Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

**After ingestion:** Rinse the mouth thoroughly with water. Give copious water to drink – consult doctor immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in Section 11 and the absorption route in Section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period/after several hours.

### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

## 5. FIREFIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable extinguishing media:** Adapt to the nature and extent of fire. Water jet spray/foam/CO<sub>2</sub>/dry extinguisher.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

**Unsuitable extinguishing:** None known.

#### 5.2 Special hazards arising from the substance or mixture

**In case of fire the following can develop:** Oxides of carbon. Oxides of nitrogen. Hydrogen cyanide. Toxic gases.

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire. Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** In case of spillage or accidental release, wear personal protective equipment as specified in Section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Keep unprotected people away. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution – risk of slipping.

**For emergency responders:** See Section 8 for suitable protective equipment and material specifications.

#### 6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this is possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**General recommendations:** Ensure good ventilation. Avoid contact with eyes or skin. Eating, drinking, smoking as well as food-storage, is prohibited in workroom. Observe directions on label and instructions for use. Use working methods according to operating instructions.

**Notes on general hygiene measures at the workplace:** General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

## FAST TOP LEVEL (COMPONENT A)

### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorized individuals. Not to be stored in gangways or stair wells. Store product closed and only in original packaging. Store at room temperature. Store in a dry place.

### 7.3 Specific end use(s)

No information available at present.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1 Control parameters

Calcium oxide	
WNG 8-hours:	1 mg/m <sup>3</sup> (9) (WNG 8-hours, EU)
WNG 15-min.:	4 mg/m <sup>3</sup> (9) (WNG 15-min., EU)

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)	
WNG 8-hours:	10 mg/m <sup>3</sup> (BE-GW), 0,2 mg/m <sup>3</sup> R (nanoscale particles), 2,5 mg/m <sup>3</sup> R (fine-scale particles) (ACGIH-TWA)
Other information:	A3 (ACGIH)

Talc	
WNG 8-hours:	0,25 mg/m <sup>3</sup> (respirable), 2 mg/m <sup>3</sup> (BE-GW, ACGIH-TWA)
Other information:	A4 (ACGIH)

### DNEL:

Polyisocyanate, aliphatic	
DNEL (Workers/employees)	
Long term – local effects, inhalation	0,5 mg/m <sup>3</sup>
Short term – local effects, inhalation	1 mg/m <sup>3</sup>

Calcium oxide	
DNEL (Consumer)	
Long term – local effects, inhalation	1 mg/m <sup>3</sup>
Short term – local effects, inhalation	4 mg/m <sup>3</sup>
DNEL (Workers/employees)	
Long term – local effects, inhalation	1 mg/m <sup>3</sup>
Short term – local effects, inhalation	4 mg/m <sup>3</sup>

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)	
DNEL (Consumer)	
Long term – systemic effects, oral	700 mg/kg bw/d
DNEL (Workers/employees)	
Long term – local effects, inhalation	10 mg/m <sup>3</sup>

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

#### PNEC:

<b>Polyisocyanate, aliphatic</b>	
<b>PNEC (Water)</b>	
PNEC aqua (freshwater)	0,127 mg/l
PNEC aqua (marine water)	0,0127 mg/l
PNEC aqua (water, sporadic (intermittent) release)	1,27 mg/l
<b>PNEC (Sediment)</b>	
PNEC Sediment (fresh water)	266700 mg/kg dry weight
PNEC Sediment (marine water)	26670 mg/kg dry weight
<b>PNEC (Soil)</b>	
PNEC Soil	53182 mg/kg dry weight
<b>PNEC (STP)</b>	
PNEC Sewage treatment plant	38,3 mg/l

<b>Calcium oxide</b>	
<b>PNEC (Water)</b>	
PNEC aqua (fresh water)	0,37 mg/l
PNEC aqua (marine water)	0,24 mg/l
<b>PNEC (Soil)</b>	
PNEC Soil	817,4 mg/kg dry weight
<b>PNEC (STP)</b>	
PNEC Sewage treatment plant	2,27 mg/l

<b>Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter <math>\leq 10 \mu\text{m}</math>)</b>	
<b>PNEC (Water)</b>	
PNEC aqua (fresh water)	0,184 mg/l
PNEC aqua (marine water)	0,0184 mg/l
PNEC aqua (water, sporadic (intermittent) release)	0,193 mg/l
<b>PNEC (Sediment)</b>	
PNEC Sediment (fresh water)	1000 mg/kg dry weight
PNEC Sediment (marine water)	100 mg/kg dry weight
<b>PNEC (Soil)</b>	
PNEC Soil	100 mg/kg dry weight
<b>PNEC (STP)</b>	
PNEC Sewage treatment plant	100 mg/l
<b>PNEC (Oral)</b>	
PNEC Oral (animal feed)	1667 mg/kg feed

WNG 8 hours = Statutory Dutch Limit Values – Time-weighted average over 8 hours (Working Conditions Decree, Annex XIII).

DE-AGW = German limit values, A = alveol fraction (or respirable fraction), E = inhalable fraction (TRGS 900).  
BE-GW = Belgian limit values.

ACGIH-TWA = American Conference of Governmental Industrial Hygienist (ACGIH) limits, TWA (time weight average), time weighted average over 8 hours.

EU = European limit values (Directive 1991/322/EEC, 1998/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU and 2019/ 1831/EU).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/EC). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/EC). (11) = Inhalable fraction (Directive 2004/37/EC). (12) = Respirable

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

fraction. Respirable fraction in the Member States which, on the date of entry into force of this Directive, implement a biomonitoring system with a maximum biological limit value of 0.002 mg Cd/g creatinine in the urine (Directive 2004/37/EC).

WNG 15-min. = Statutory Dutch Limit Values – Time-weighted average over 15 minutes (Working Conditions Decree, Annex XIII).

DE-AGW = German limit values as an exceedance factor 1-8 and category I (substances where the local effect is decisive for the established limit value or substances that can have a sensitizing effect when inhaled) or category II (resorptive substances), A = alveol fraction (or respirable fraction), E = inhalable fraction (TRGS 900).

BE-GW = Belgian limit values.

ACGIH-STEL= American Conference of Governmental Industrial Hygienist (ACGIH) limit values, STEL (short term exposure limit), time weighted average over 15 min.

EU = European limit values (2000/39/EC, 2006/15/EC).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU).

(10) = Limit value for short-term exposure in relation to a reference period of 1 minute (2017/164/EU).

WNG-C = Statutory Dutch Limit Values – Ceiling (Working Conditions Decree, Annex XIII).

BE-GW = Belgian limit values.

ACGIH-C = American Conference of Governmental Industrial Hygienist (ACGIH) limits, C (ceiling value) is a ceiling value.

BGW = Biological limit values. ACGIH-BEI = American Conference of Governmental Industrial Hygienist (ACGIH), BEI (Biological Exposure Indices), Biological Limits.

Other information: NL/DE/ACGIH/EU: H = Substances that can be absorbed relatively easily through the skin.

NL: WNG = Statutory Dutch Limit Values (Working Conditions Decree, Annex XIII).

GGs-B4 = Limit values for substances harmful to health, Annex 4 (Dutch non-exhaustive list of substances toxic to reproduction): V1A, V1B or V2 = toxic to reproduction/harmful for reproduction (Fertility) and O1A, O1B or O2 toxic to reproduction/ harmful (Development). B = May be harmful through breastfeeding.

DE: Y = substances for which a risk of fetal damage is negligible if the stated German limit value is adhered to,

Z = substances for which a risk of fetal damage cannot be excluded if the stated German limit value is observed.

BE: C = carcinogenic and/or mutagenic substances, D = Substances that can be absorbed relatively easily through the skin, F = Exposure occurs in the form of fibres.

ACGIH: A1 = Proven carcinogen, A2 = Suspected carcinogen, A3 = Animal carcinogen, unknown to humans, A4 = Not known as human carcinogen, A5 = Not suspected human carcinogen, SEN = hypersensitivity reaction in susceptible people can induce, even if exposed below the stated exposure limit (DSEN = skin sensitization, RSEN = respiratory sensitization), RTD = ototoxic chemical agent.

(13) = The substance may cause skin and respiratory sensitization (Directive 2004/37/EC),

(14) = The substance may cause skin sensitization (Directive 2004/37/EC).

## 8.2 Exposure controls

**Appropriate engineering controls:** Ensure good ventilation. This can be achieved by local solution or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques. These are specified by e.g. EN 14042. EN 14042 “Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents”.

**Individual protection measures, such as personal protective equipment:** General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

**Eye/face protection:** Tight fitting protective goggles with side protection (EN 166).

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

**Skin/hand protection:** Chemical resistant protective gloves (EN ISO 374). If applicable: Protective gloves made of butyl (EN ISO 374). Protective Neoprene®/polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Protective PVC gloves (EN ISO 374). Minimum layer thickness in mm: 0,5. Permeation time (penetration time) in minutes:  $\geq 480$ . The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

**Additional information on hand protection:** No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

**Skin protection – Other measures:** Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

**Respiratory protection:** When the limit value is exceeded (WNG of DE-AGW of BE-GW). Filter A (EN 14387), code colour brown. Filter B (EN 14387), code colour grey. Filter P3 (EN 143), code colour white. Observe wearing time limitations for respiratory protection equipment.

**Thermal hazards:** Not applicable.

**Environmental exposure controls:** No information available at present.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state:	Paste, liquid.
Colour:	White.
Odour:	Characteristic.
Melting point/freezing point:	No information available.
Boiling point/initial boiling point and boiling range:	No information available.
Flammability:	Combustible.
Lower explosion limit:	No information available.
Upper explosion limit:	No information available.
Flash point:	No information available.
Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH:	No information available.
Kinematic viscosity:	55 Pas (Dynamic viscosity).
Solubility:	No information available.
Partition coefficient: n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	No information available.
Density and/or relative density:	1,21 (relative density).
Relative vapour density:	No information available.
Particle characteristics:	Does not apply to mixtures.

### 9.2 Other information

**Explosives:** Product is not explosive.

**Oxidising liquids:** No.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

## FAST TOP LEVEL (COMPONENT A)

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Avoid contact with strong alkalis. Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity:

FAST TOP LEVEL (COMPONENT A)				
Toxicity/effect	Endpoint	Value	Unit	Notes
Oral				No data available.
Dermal				No data available.
By inhalation	ATE	12,32	mg/l/4h	Calculated value, Dangerous vapours.
By inhalation	ATE	1,68	mg/l/4h	Calculated value, Aerosol.

Polyisocyanate, aliphatic						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral	LD50	>2500	mg/kg	Rat	OECD 423 (Acute Oral Toxicity – Acute Toxic Class Method)	Female
Dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	
By inhalation	LC50	1,5	mg/l/4h	Rat	OECD 403 (Acute Inhalation Toxicity)	Mist

Calcium oxide						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral	LD50	>2000	mg/kg	Rat	OECD 425 (Acute Oral Toxicity – Up-and-Down procedure)	
Dermal	LD50	>2500	mg/kg	Rabbit	OECD 402 (Acute Dermal Toxicity)	Calcium dihydroxide, The results are applicable to

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

						calcium oxide, being in contact with moisture calcium hydroxide is formed.
--	--	--	--	--	--	----------------------------------------------------------------------------

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral	LD50	>5000	mg/kg	Rat	OECD 425 (Acute Oral Toxicity – Up-and-Down Procedure)	
Dermal	LD50	>5000	mg/kg	Rabbit		
By inhalation	LC50	>6,8	mg/l/4h	Rat		

#### Talc

Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral	LD50	>5000	mg/kg	Rat		
Dermal	LD50	>2000	mg/kg	Rat		

#### Skin corrosion/-irritation:

##### FAST TOP LEVEL (COMPONENT A)

##### Notes

No data available.

#### Polyisocyanate, aliphatic

Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Slightly irritant.

#### Calcium oxide

Endpoint	Value	Unit	Organism	Test method	Notes
				OECD 431 (In Vitro Skin Corrosion – Human Skin Model Test)	Non-caustic, Analogous conclusion, Calcium dihydroxide.
			Rabbit		Irritating, in vivo.

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant.

#### Talc

Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit	OECD 404 (Acute Dermal Irritation/Corrosion)	Not irritant.
					Not irritant.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

#### Serious eye damage/irritation:

FAST TOP LEVEL (COMPONENT A)					
Notes					
No data available.					

Polyisocyanate, aliphatic					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit	OECD 405 (Acute Eye Irritation/ Corrosion)	Slightly irritant.

Calcium oxide					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit		Risk of serious damage to eye., in vivo.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rabbit	OECD 405 (Acute Eye Irritation/ Corrosion)	Not irritant, Mechanical irritation possible.

#### Respiratory or skin sensitisation:

FAST TOP LEVEL (COMPONENT A)					
Notes					
No data available.					

Polyisocyanate, aliphatic					
Endpoint	Value	Unit	Organism	Test method	Notes
			Guinea pig	OECD 406 (Skin Sensitisation)	Yes (skin contact).

Calcium oxide					
Notes					
Not to be expected.					

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )					
Endpoint	Value	Unit	Organism	Test method	Notes
			Mouse	OECD 429 (Skin Sensitisation – Local Lymph Node Assay)	Not sensitising.
			Guinea pig	OECD 406 (Skin Sensitisation)	No (skin contact).

Talc					
Notes					
Not sensitising.					

#### Germ cell mutagenicity:

FAST TOP LEVEL (COMPONENT A)					
Notes					
No data available.					

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

Polyisocyanate, aliphatic					
Endpoint	Value	Unit	Organism	Test method	Notes
				OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative.

Calcium oxide					
Endpoint	Value	Unit	Organism	Test method	Notes
				OECD 471 (Bacterial Reverse Mutation Test)	Negative, Analogous conclusion, Calcium dihydroxide.
				OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative, Analogous conclusion, Calcium dihydroxide.
				OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative, Analogous conclusion, Calcium dihydroxide.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )					
Endpoint	Value	Unit	Organism	Test method	Notes
			Mouse	OECD 474 (Mammalian Erythrocyte Micronucleus Test)	Negative.
			Mammalian	OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative.
			Salmonella typhimurium	(Ames-Test)	Negative.
				OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative.
				OECD 471 (Bacterial Reverse Mutation Test)	Negative.

Talc					
Endpoint	Value	Unit	Organism	Test method	Notes
				OECD 471 (Bacterial Reverse Mutation Test)	Negative.

#### Carcinogenicity:

FAST TOP LEVEL (COMPONENT A)					
Notes					
No data available.					

Calcium oxide					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rat		Negative, Analogous conclusion, Administered as Ca-lactate.

Talc					
Notes					
Negative.					

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT A)

#### Reproductive toxicity:

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
No data available.

Polyisocyanate, aliphatic
<b>Notes</b>
Negative.

Calcium oxide					
Endpoint	Value	Unit	Organism	Test method	Notes
			Mouse		Negative, Analogous conclusion, Administered as Ca-carbonate.

Talc					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rat		Negative.

#### Reproductive toxicity (Developmental toxicity):

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter <=10 μm)					
Endpoint	Value	Unit	Organism	Test method	Notes
			Rat	OECD 414 (Prenatal Developmental Toxicity Study)	No indications of such an effect.

#### Specific target organ toxicity – single exposure (STOT-SE):

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
No data available.

Polyisocyanate, aliphatic						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
By inhalation						Irritation of the respiratory tract.

Calcium oxide
<b>Notes</b>
Irritation of the respiratory tract.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )
<b>Notes</b>
Not irritant (respiratory tract).

#### Specific target organ toxicity - repeated exposure (STOT-RE):

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
No data available.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

Polyisocyanate, aliphatic						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
By inhalation	NOEL	4,3	mg/m <sup>3</sup>	Rat	OECD 412 (Subacute Inhalation Toxicity – 28-Day Study)	
By inhalation	NOAEL	3,3	mg/m <sup>3</sup>	Rat	OECD 413 (Subchronic Inhalation Toxicity – 90-Day Study)	Aerosol.

Calcium oxide						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral		36	mg/kg bw/d			(UL by SCF)
Dermal						Negative.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)						
Toxicity/effect	Endpoint	Value	Unit	Organism	Test method	Notes
Oral	NOAEL	3500	mg/kg/d	Rat		(90d)
By inhalation	NOAEC	10	mg/m <sup>3</sup>	Rat		(90d)

#### Aspiration hazard:

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

Calcium oxide						
Notes						
No.						

#### Symptoms:

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

Calcium oxide						
Notes						
Breathing difficulties, respiratory distress, drowsiness, diarrhoea, thirst, vomiting, cornea opacity, coughing, headaches, mucous, membrane, irritation, shock, sweating.						

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)						
Notes						
Mucous membrane irritation, coughing, respiratory distress, drying of the skin.						
Talc						
Notes						
Mucous membrane irritation.						

#### 11.2 Information on other hazards

**Endocrine disrupting properties:** Does not apply to mixtures

**Other information:** No other relevant information available on adverse effects on health.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

## FAST TOP LEVEL (COMPONENT A)

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

##### Toxicity to fish:

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

Polyisocyanate, aliphatic						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	>100	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	

Calcium oxide						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	50,6	mg/l			Freshwater, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.
LC50	96h	457	mg/l			Marine water, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	>100	mg/l	Oncorhynchus mykiss	OECD 203 (Fish, Acute Toxicity Test)	

Talc						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	100	g/l	Brachydanio rerio		

##### Toxicity to daphnia:

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

Polyisocyanate, aliphatic						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
EC10	48h	>100	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	

Calcium oxide						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
EC50	48h	49,1	mg/l			Freshwater, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

LC50	96h	158	mg/l			Marine water, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.
NOEC/ NOEL	14d	32	mg/l			Marine water, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Endpoint	Time	Value	Unit	Organism	Test method	Notes
LC50	48h	>100	mg/l	Daphnia Magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	

#### Toxicity to algae:

##### FAST TOP LEVEL (COMPONENT A)

#### Notes

No data available.

#### Polyisocyanate, aliphatic

Endpoint	Time	Value	Unit	Organism	Test method	Notes
ErC50	72h	>1000	mg/l	Scenedesmus subspicatus	DIN 38412 T.9	
IC50	72h	>100	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	

#### Calcium oxide

Endpoint	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL	72h	48	mg/l			Freshwater, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.
EC50	72h	184,57	mg/l			Freshwater, Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed.

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Endpoint	Time	Value	Unit	Organism	Test method	Notes
EC50	72h	16	mg/l	Pseudokirchneriella subcapitata	U.S. EPA-600/9-78-018	

#### Toxicity to bacteria:

##### Polyisocyanate, aliphatic

Endpoint	Time	Value	Unit	Organism	Test method	Notes
EC50	72h	3828	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

EC50	3h	>1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
------	----	-------	------	------------------	------------------------------------------------------------------------------------------	--

#### Calcium oxide

##### Notes

In high concentrations the product provokes an increase in temperature and of the pH-value. It is used to sanitize sewage sludge.

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Endpoint	Time	Value	Unit	Organism	Test method	Notes
		>5000	mg/l	Escherichia coli		
LC0	24h	>10000	mg/l	Pseudomonas fluorescens		

#### Toxicity to annelids:

#### Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )

Endpoint	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL		>1000	mg/kg	Eisenia foetida		

#### Toxicity to other organisms:

#### Calcium oxide

Endpoint	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL		2000	mg/kg dw			Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed. Soil Macroorganisms.
NOEC/NOEL		12000	mg/kg dw			Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed. Soil Macroorganisms.
NOEC/NOEL	21d	1080	mg/kg			Calcium dihydroxide, The results are applicable to calcium oxide, while in contact with moisture calcium hydroxide is formed. Terrestrial plants.

#### 12.2 Persistence and degradability

#### FAST TOP LEVEL (COMPONENT A)

##### Notes

No data available.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

Polyisocyanate, aliphatic						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
	28d	0	%		OECD 301 C (Ready Biodegradability – Modified MITI Test (I))	Not readily biodegradable.
	28d	1	%		OECD 301 D (Ready Biodegradability – Closed Bottle Test)	Not readily biodegradable.

Calcium oxide						
Notes						
Not relevant for inorganic substances.						

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )						
Notes						
Not relevant for inorganic substances.						

Talc						
Notes						
Not relevant for inorganic substances.						

### 12.3 Bioaccumulative potential

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

Polyisocyanate, aliphatic						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
BCF		367,7				
Log Kow		3,2				Concentration in organisms possible., calculated value.

Calcium oxide						
Notes						
Not relevant for inorganic substances.						

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$ )						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
BCF	42d	9,6				Not to be expected.
BCF	14d	19-352				Oncorhynchus mykiss

### 12.4 Mobility in soil

FAST TOP LEVEL (COMPONENT A)						
Notes						
No data available.						

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

Polyisocyanate, aliphatic						
Endpoint	Time	Value	Unit	Organism	Test method	Notes
H (Henry)		<0,000001	Pa*m <sup>3</sup> /mol			25°C
Log Koc		7,3-7,8				

Calcium oxide
<b>Notes</b>
Calcium oxide reacts with water and/or carbon dioxide to form respectively calcium dihydroxide and/or calcium carbonate, which are sparingly, and so present a low mobility in most ground.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)
<b>Notes</b>
Negative.

#### 12.5 Results of PBT and vPvB assessment

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
No data available.

Polyisocyanate, aliphatic
<b>Notes</b>
No PBT substance, no vPvB substance.

Calcium oxide
<b>Notes</b>
Not relevant for inorganic substances.

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter ≤10 µm)
<b>Notes</b>
No PBT substance, no vPvB substance.

Talc
<b>Notes</b>
No PBT substance, no vPvB substance.

#### 12.6 Endocrine disrupting properties

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
Does not apply to mixtures.

#### 12.7 Other adverse effects

FAST TOP LEVEL (COMPONENT A)
<b>Notes</b>
No information available on other adverse effects on the environment.

## Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT A)

#### Calcium oxide

##### Notes

pH-value of >12 will rapidly decrease as a result of dilution and carbonation., Even though this product can be used to neutralize over-acidified water, when 1 g/l is exceeded organisms in the water may be affected adversely.

#### Other information:

##### Water solubility:

Titanium dioxide (in powder form containing 1% or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ )

##### Notes

Insoluble 20°C

#### Talc

Endpoint	Time	Value	Unit	Organism	Test method	Notes
		<0,1	%			

## 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

#### For the substance/mixture/residual amounts:

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances.

Recommendation:

Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

**For contaminated packing material:** Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

## 14. TRANSPORT INFORMATION

### 14.1 UN number or ID number

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

### 14.2 UN proper shipping name

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

### 14.3 Transport hazard class(es)

ADR/RID: Not applicable.

IMDG: Not applicable.

## Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT A)

**IATA:** Not applicable.

#### 14.4 Packing group

**ADR/RID:** Not applicable.

**IMDG:** Not applicable.

**IATA:** Not applicable.

#### 14.5 Environmental hazards

**ADR/RID:** Not applicable.

**Tunnel restriction code:** Not applicable.

**Classification code:** Not applicable.

**LQ:** Not applicable.

**Transport category:** Not applicable.

**IMDG:** Not applicable.

**Marine Pollutant:** Not applicable.

**EmS:** Not applicable.

**IATA:** Not applicable.

#### 14.6 Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7 Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

Comply with national regulations/laws governing the protection of young people at work (national implementation of the Directive 94/33/EC)!

Regulation (EC) No 1907/2006, Annex XVII

Polyisocyanate, aliphatic

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): 0%

Water hazard category according to the General Assessment Method (ABM) 2016: B(4)

Naleven van het Arbeidsomstandighedenbesluit (met name artikel 4.105 en 4.106 – Jeugdige werknemers) (Nederland).

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

## Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT A)

#### 16. OTHER INFORMATION

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EC) 1272/2008 (CLP):**

Classification in accordance with regulation (EC) No 1272/2008 (CLP)	Evaluation method used
Acute Tox. 4, H332	Classification according to calculation procedure.
Eye Irrit. 2, H319	Classification according to calculation procedure.
STOT SE 3, H335	Classification according to calculation procedure.
Skin Sens. 1, H317	Classification according to calculation procedure.

**The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3):**

H315 Causes skin irritation.  
H317 May cause an allergic reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H335 May cause respiratory irritation.  
H351 Suspected of causing cancer by inhalation.

Acute Tox.: Acute toxicity – Inhalation.

Eye Irrit.: Eye irritation.

STOT SE: Specific target organ toxicity – single exposure – respiratory tract irritation.

Skin Sens.: Skin sensitization.

Skin Irrit.: Skin irritation.

Eye Dam.: Serious eye damage.

Carc.: Carcinogenicity.

**Belangrijke literatuurreferenties en gegevensbronnen:** Verordening (EG) nr. 1907/2006 (REACH) en Verordening (EG) Nr. 1272/2008 (CLP) in de op dat moment geldige versie. Rechtsnoeren voor het opstellen van veiligheidsinformatiebladen in de op dat moment geldige versie (ECHA).

Richtsnoeren voor etikettering en verpakking conform Verordening (EG) nr. 1272/2008 [CLP] in de op dat moment geldige versie (ECHA).

Veiligheidsinformatiebladen van de inhoudsstoffen.

ECHA-homepage – informatie over chemicaliën.

GESTIS-stofdatabank (Duitsland).

Federaal milieuagentschap “Rigoletto” Informatiepagina over waterverontreinigende stoffen (Duitsland).

EU-grenswaarden voor beroepsmatige blootstelling richtlijnen 91/322/EEG, 2000/39/EG, 2006/15/EG, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831 in de op dat moment geldige versie.

Nationale lijsten van grenswaarden voor beroepsmatige blootstelling van de respectieve landen in de op dat moment geldige versie.

Voorschriften voor het vervoer van gevaarlijke goederen over de weg, per spoor, over zee en door de lucht (ADR, RID, IMDG, IATA) in de op dat moment geldige versie.

#### Abbreviations and acronyms:

ABM: Water hazard category according to the General Assessment Method.

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (=European Agreement concerning the International Carriage of Dangerous Goods by Road).

AOX: Absorbable organic halogen compounds.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

ASTM: American Society for Testing and Materials.  
ATE: Acute Toxicity Estimate.  
BAM: Bundesanstalt für Materialforschung und -prüfung (Office Fédéral de Contrôle des Matériaux, Allemagne).  
BAuA: Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Bureau fédéral allemand de la protection et de la médecine du travail, Allemagne).  
BCF: Bioconcentration factor.  
BSEF: The International Bromine Council.  
Bw: body weight.  
CAS: Chemical Abstracts Service.  
CLP: Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures).  
CMR: carcinogenic, mutagenic, reproductive toxic.  
DEFR: Département fédéral de l'économie, de la formation et de la recherche (Suisse).  
DETEC: Département fédéral de l'environnement, des transports, de l'énergie et de la communication (Suisse).  
DMEL: Derived Minimum Effect Level.  
DNEL: Derived No Effect Level.  
DOC: Dissolved organic carbon.  
Dw: dry weight.  
EC: European Community.  
EEC: European Economic Community.  
ECHA: European Chemicals Agency.  
EINECS: European Inventory of Existing Commercial Substances.  
ELINCS: European List of Notified Chemical Substances.  
EN: European norms.  
EPA: United States Environmental Protection Agency (United States of America).  
EVAL: Copolymère d'éthylène-alcool vinylique.  
EU: European Union.  
GHS: Globally Harmonised System of Classification and Labelling Chemicals.  
GWP: Global warming potential.  
IARC: International Agency for Research on Cancer.  
IATA: International Air Transport Association.  
IBC (Code): International Bulk Chemical (Code).  
IMDG-code: International Maritime Code for Dangerous Goods.  
ISO: International Organization for Standardization.  
IUCLID: International Uniform Chemical Information Database.  
IUPAC: International Union for Pure Applied Chemistry.  
LC50: Lethal Concentration to 50% of a test population.  
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
LMD: Les listes pour les mouvements de déchets (Suisse).  
Log Pow: Logarithm of octanol-water partition coefficient.  
LQ: Limited Quantities.  
NIOSH: National Institute for Occupational Safety and Health (USA).  
NLP: No-longer-Polymer.  
NOEC, NOEL: No observed Effect Concentration/Level.  
OECD: Organisation for Economic Co-operation and Development.  
OFEV: Office fédéral de l'environnement (Suisse).  
OMoD: Ordonnance sur les mouvements de déchets (Suisse).  
Org.: Organic.  
OSHA: Occupational Safety and Health Administration (USA).  
OTD: Ordonnance sur le traitement des déchets (Suisse).  
PBT: Persistent, bioaccumulative and toxic.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT A)

PNEC: Predicted No Effect Concentration.

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals).

REACH-IT List-No.: 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RID: Règlement concernant le transport International ferroviaire de marchandises Dangereuses (=Regulation concerning the International Carriage of Dangerous Goods by Rail).

SVHC: Substances of Very High Concern.

UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods.

VOC: Volatile Organic Compounds.

vPvB: very Persistent and very Bioaccumulative.

wwt: wet weight.

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage, use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.



**Safety Data Sheet**  
**According to Regulation (EC) No 1907/2006, Annex II**

Creation date: 8/06/2023

<b>FAST TOP LEVEL (COMPONENT B)</b>
-------------------------------------

**1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**1.1 Product identifier**

**Product name:** FAST TOP LEVEL (COMPONENT B)

**Code:** D100055

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**Relevant identified uses of the substance or mixture:** Adhesive.

**Uses advised against:** No information available at present.

**1.3 Details of the supplier of the safety data sheet**

**Company:** MULTITASK INDUSTRIES  
KARNEMELKSTRAAT 12  
9060 ZELZATE / BELGIË  
TEL : +32 (0)9 282 43 61  
FAX : +32 (0)9 337 04 96  
HOMEPAGE: [www.multitaskindustries.be](http://www.multitaskindustries.be)  
EMAIL: [info@multitaskindustries.be](mailto:info@multitaskindustries.be)

**Information department:**

**Technical information:** [info@multitaskindustries.be](mailto:info@multitaskindustries.be)

**1.4 Emergency telephone number:** Poison Control Centre (Brussels); +32 (0)70 245 245.

**2. HAZARDS IDENTIFICATION**

**2.1 Classification of the substance or mixture**

**Classification according to Regulation (EC) 1272/2008 (CLP)**

Eye irritation, Category 2: H319: Causes serious eye irritation.

**2.2 Label elements**

**Labelling according to Regulation (EC) 1272/2008 (CLP)**

**Hazard pictograms:**



GHS07

**Signal word:** Warning.

**Hazard Statements:**

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

##### Precautionary statements:

P280 Wear eye protection/face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.

##### 2.3 Other hazards

This mixture does not contain any vPvB substance (vPvB= very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

This mixture does not contain any PBT substance (PBT= persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

This mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1 Substances

Not applicable.

#### 3.2 Mixtures

<b>1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol</b>	
<b>Registration number (REACH)</b>	01-2119552434-41-XXXX
<b>Index</b>	---
<b>EINECS, ELINCS, NLP, REACH-IT List-No.</b>	203-041-4
<b>CAS</b>	102-60-3
<b>% Content</b>	10-<25
<b>Classification according to Regulation (EC) 1272/2008 (CLP), M-Factors</b>	Eye Irrit. 2, H319

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

### 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

**General advice:** First aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person!

**After inhalation:** Supply person with fresh air and consult doctor according to symptoms.

**After skin contact:** Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

**After eye contact:** Remove contact lenses. Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

**After ingestion:** Rinse the mouth thoroughly with water. Give copious water to drink – consult doctor immediately.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

#### 4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in Section 11 and the absorption route in Section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period/after several hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### 5. FIREFIGHTING MEASURES

#### 5.1 Extinguishing media

**Suitable extinguishing media:** Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher.

**Unsuitable extinguishing:** None known.

#### 5.2 Special hazards arising from the substance or mixture

**In case of fire the following can develop:** Oxides of carbon. Toxic gases.

#### 5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire. Full protection, if necessary. Cool container at risk with water. Dispose of contaminated extinction water according to official regulations.

### 6. ACCIDENTAL RELEASE MEASURES

#### 6.1 Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** In case of spillage or accidental release, wear personal protective equipment as specified in Section 8 to prevent contamination. Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. Leave the danger zone if possible, use existing emergency plans if necessary. Keep unprotected people away. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution – risk of slipping.

**For emergency responders:** See Section 8 for suitable protective equipment and material specifications.

#### 6.2 Environmental precautions

If leakage occurs, dam up. Resolve leaks if this is possible without risk. Prevent from entering drainage system. Prevent surface and ground-water infiltration, as well as ground penetration. If accidental entry into drainage system occurs, inform responsible authorities.

#### 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth, sawdust) and dispose of according to Section 13.

#### 6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

## FAST TOP LEVEL (COMPONENT B)

### 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

**General recommendations:** Ensure good ventilation. Avoid contact with eyes or skin. Eating, drinking, smoking as well as food-storage, is prohibited in workroom. Observe directions on label and instructions for use. Use working methods according to operating instructions.

**Notes on general hygiene measures at the workplace:** General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep out of access to unauthorized individuals. Not to be stored in gangways or stair wells. Store product closed and only in original packaging. Store at room temperature. Store in a dry place.

#### 7.3 Specific end use(s)

No information available at present.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1 Control parameters

##### Silicon dioxide - amorphous

WNG 8-hours: 4 mg/m<sup>3</sup> E (DE-GW)

Other information: Y

##### Carbon black

WNG 8-hours: 3,0 mg/m<sup>3</sup> (BE-GW), 3,5 mg/m<sup>3</sup> (USA-ACGIH)

Other information: A4 (USA-ACGIH)

##### Talc

WNG 8-hours: 0,25 mg/m<sup>3</sup> (respirable), 2 mg/m<sup>3</sup> (BE-GW, ACGIH-TWA)

Other information: A4 (ACGIH)

#### DNEL:

##### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

##### DNEL (Consumer)

Long term– systemic effects, inhalation 8,7 mg/m<sup>3</sup>

Long term – systemic effects, dermal 2,5 mg/kg bw/d

Long term – systemic effects, oral 2,5 mg/kg bw/d

##### DNEL (Workers/employees)

Long term– systemic effects, inhalation 29,4 mg/m<sup>3</sup>

Long term – systemic effects, dermal 4,2 mg/kg bw/d

##### Carbon black

##### DNEL (Consumer)

Long term– systemic effects, inhalation 0,06 mg/m<sup>3</sup>

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

DNEL (Workers/employees)	
Long term– systemic effects, inhalation	1 mg/m <sup>3</sup>

Zeolites	
DNEL (Consumer)	
Long term – systemic effects, dermal	1,25 mg/kg bw/d
Long term – systemic effects, oral	1,25 mg/kg bw/d
DNEL (Workers/employees)	
Long term – systemic effects, dermal	2,5 mg/kg bw/d
Long term – local effects, inhalation	3 mg/m <sup>3</sup>

Silicon dioxide - amorphous	
DNEL (Workers/employees)	
Long term– systemic effects, inhalation	4 mg/m <sup>3</sup>

#### PNEC:

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol	
PNEC (Water)	
PNEC aqua (freshwater)	0,085 mg/l
PNEC aqua (marine water)	0,0085 mg/l
PNEC aqua (water, sporadic (intermittent) release)	1,51 mg/l
PNEC (Sediment)	
PNEC Sediment (freshwater)	0,193 mg/kg dry weight
PNEC Sediment (marine water)	0,0193 mg/kg dry weight
PNEC (Soil)	
PNEC Soil	0,018 mg/kg dry weight
PNEC (STP)	
PNEC Sewage Treatment Plant	70 mg/l

Carbon black	
PNEC (Water)	
PNEC aqua (freshwater)	1 mg/l
PNEC aqua (marine water)	0,1 mg/l

Zeolites	
PNEC (Water)	
PNEC aqua (freshwater)	3,2 mg/l
PNEC aqua (marine water)	0,32 mg/l
PNEC (Soil)	
PNEC Soil	600 mg/kg dry weight
PNEC (STP)	
PNEC Sewage Treatment Plant	95 mg/l

WNG 8 hours = Statutory Dutch Limit Values – Time-weighted average over 8 hours (Working Conditions Decree, Annex XIII).

DE-AGW = German limit values, A = alveol fraction (or respirable fraction), E = inhalable fraction (TRGS 900).

BE-GW = Belgian limit values.

ACGIH-TWA = American Conference of Governmental Industrial Hygienist (ACGIH) limits, TWA (time weight average), time weighted average over 8 hours.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

EU = European limit values (Directive 1991/322/EEC, 1998/24/EC, 2000/39/EC, 2004/37/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU and 2019/ 1831/EU).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/EC). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/EC). (11) = Inhalable fraction (Directive 2004/37/EC). (12) = Respirable fraction. Respirable fraction in the Member States which, on the date of entry into force of this Directive, implement a biomonitoring system with a maximum biological limit value of 0.002 mg Cd/g creatinine in the urine (Directive 2004/37/EC).

WNG 15-min. = Statutory Dutch Limit Values – Time-weighted average over 15 minutes (Working Conditions Decree, Annex XIII).

DE-AGW = German limit values as an exceedance factor 1-8 and category I (substances where the local effect is decisive for the established limit value or substances that can have a sensitizing effect when inhaled) or category II (resorptive substances), A = alveol fraction (or respirable fraction ), E = inhalable fraction (TRGS 900).

BE-GW = Belgian limit values.

ACGIH-STEL= American Conference of Governmental Industrial Hygienist (ACGIH) limit values, STEL (short term exposure limit), time weighted average over 15 min.

EU = European limit values (2000/39/EC, 2006/15/EC).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU).

(10) = Limit value for short-term exposure in relation to a reference period of 1 minute (2017/164/EU).

WNG-C = Statutory Dutch Limit Values – Ceiling (Working Conditions Decree, Annex XIII).

BE-GW = Belgian limit values.

ACGIH-C = American Conference of Governmental Industrial Hygienist (ACGIH) limits, C (ceiling value) is a ceiling value.

BGW = Biological limit values. ACGIH-BEI = American Conference of Governmental Industrial Hygienist (ACGIH), BEI (Biological Exposure Indices), Biological Limits.

Other information: NL/DE/ACGIH/EU: H = Substances that can be absorbed relatively easily through the skin.

NL: WNG = Statutory Dutch Limit Values (Working Conditions Decree, Annex XIII).

GGs-B4 = Limit values for substances harmful to health, Annex 4 (Dutch non-exhaustive list of substances toxic to reproduction): V1A, V1B or V2 = toxic to reproduction/harmful for reproduction (Fertility) and O1A, O1B or O2 toxic to reproduction/ harmful (Development). B = May be harmful through breastfeeding.

DE: Y = substances for which a risk of fetal damage is negligible if the stated German limit value is adhered to,

Z = substances for which a risk of fetal damage cannot be excluded if the stated German limit value is observed.

BE: C = carcinogenic and/or mutagenic substances, D = Substances that can be absorbed relatively easily through the skin, F = Exposure occurs in the form of fibres.

ACGIH: A1 = Proven carcinogen, A2 = Suspected carcinogen, A3 = Animal carcinogen, unknown to humans,

A4 = Not known as human carcinogen, A5 = Not suspected human carcinogen, SEN = hypersensitivity reaction

in susceptible people can induce, even if exposed below the stated exposure limit (DSEN = skin sensitization, RSEN = respiratory sensitization), RTD = ototoxic chemical agent.

(13) = The substance may cause skin and respiratory sensitization (Directive 2004/37/EC),

(14) = The substance may cause skin sensitization (Directive 2004/37/EC).

## 8.2 Exposure controls

**Appropriate engineering controls:** Ensure good ventilation. This can be achieved by local solution or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques. These are specified by e.g. EN 14042. EN 14042 “Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents”.

**Individual protection measures, such as personal protective equipment:** General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothing and protective equipment before entering

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

areas in which food is consumed.

**Eye/face protection:** Tight fitting protective goggles with side protection (EN 166).

**Skin/hand protection:** Chemical resistant protective gloves (EN ISO 374). If applicable: Protective gloves made of butyl (EN ISO 374). Protective Neoprene®/polychloroprene gloves (EN ISO 374). Protective nitrile gloves (EN ISO 374). Protective PVC gloves (EN ISO 374). Minimum layer thickness in mm: 0,5. Permeation time (penetration time) in minutes:  $\geq 480$ . The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical conditions. The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended.

**Additional information on hand protection:** No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer. In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

**Skin protection – Other measures:** Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments).

**Respiratory protection:** Normally not necessary.

**Thermal hazards:** Not applicable.

**Environmental exposure controls:** No information available at present.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Physical state:	Paste, liquid.
Colour:	Black.
Odour:	Characteristic.
Melting point/freezing point:	No information available.
Boiling point/initial boiling point and boiling range:	No information available.
Flammability:	No information available.
Lower explosion limit:	No information available.
Upper explosion limit:	No information available.
Flash point:	No information available.
Auto-ignition temperature:	No information available.
Decomposition temperature:	No information available.
pH:	No information available.
Kinematic viscosity:	60 Pas (Dynamic viscosity).
Solubility:	No information available.
Partition coefficient: n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressure:	No information available.
Density and/or relative density:	1,29 (relative density).
Relative vapour density:	No information available.
Particle characteristics:	Does not apply to mixtures.

### 9.2 Other information

**Explosives:** Product is not explosive.

**Oxidising liquids:** No.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

### 10. STABILITY AND REACTIVITY

#### 10.1 Reactivity

The product has not been tested.

#### 10.2 Chemical stability

Stable with proper storage and handling.

#### 10.3 Possibility of hazardous reactions

No dangerous reactions known.

#### 10.4 Conditions to avoid

None known.

#### 10.5 Incompatible materials

Avoid contact with strong alkalis. Avoid contact with strong oxidizing agents. Avoid contact with strong acids.

#### 10.6 Hazardous decomposition products

No decomposition when used as directed.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity:

FAST TOP LEVEL (COMPONENT B)	
Toxicity/effect	Notes
Oral	No data available.
Dermal	No data available.
By inhalation	No data available.

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
Oral	LD50	>2000-5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Dermal	LD50	>2000	mg/kg	Rat	OECD 402 (Acute Dermal Toxicity)	

Talc						
Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
Oral	LD50	>5000	mg/kg	Rat		
Dermal	LD50	>2000	mg/kg	Rat		

Carbon black						
Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
Oral	LD50	>2000	mg/kg	Rat		
Dermal	LD50	>3000	mg/kg			

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

Silicon dioxide - amorphous						
Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
Oral	LD50	>5000	mg/kg	Rat	OECD 401 (Acute Oral Toxicity)	
Dermal	LD50	>5000	mg/kg	Rabbit	IUCLID Chem. Data Sheet (ESIS)	

#### Skin corrosion/irritation:

FAST TOP LEVEL (COMPONENT B)						
Notes						
No data available.						

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 404 (Acute Dermal Irritation/ Corrosion)	Not irritant.	

Talc						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 404 (Acute Dermal Irritation/ Corrosion)	Not irritant.	
					Not irritant.	

Carbon black						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 404 (Acute Dermal Irritation/ Corrosion)	Not irritant.	

Silicon dioxide - amorphous						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 404 (Acute Dermal Irritation/ Corrosion)	Not irritant.	

#### Serious eye damage/irritation:

FAST TOP LEVEL (COMPONENT B)						
Notes						
No data available.						

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 405 (Acute Eye Irritation/Corrosion)	Eye Irrit. 2	

Carbon black						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 405 (Acute Eye Irritation/ Corrosion)	Not irritant.	

Silicon dioxide - amorphous						
End point	Value	Unit	Organism	Test method	Notes	
			Rabbit	OECD 405 (Acute Eye Irritation/ Corrosion)	Not irritant.	

#### Respiratory or skin sensitisation:

FAST TOP LEVEL (COMPONENT B)						
Notes						
No data available.						

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

##### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Value	Unit	Organism	Test method	Notes
			Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitising.

##### Talc

##### Notes

Not sensitising.

##### Carbon black

End point	Value	Unit	Organism	Test method	Notes
			Guinea pig	OECD 406 (Skin Sensitisation)	Not sensitising.

##### Silicon dioxide - amorphous

End point	Value	Unit	Organism	Test method	Notes
			Guinea pig	IUCLID Chem. Data Sheet (ESIS)	Not sensitising.

##### Germ cell mutagenicity:

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

##### Talc

End point	Value	Unit	Organism	Test method	Notes
				OECD 471 (Bacterial Reverse Mutation Test)	Negative.

##### Carbon black

End point	Value	Unit	Organism	Test method	Notes
				OECD 471 (Bacterial Reverse Mutation Test)	Negative.

##### Silicon dioxide - amorphous

End point	Value	Unit	Organism	Test method	Notes
			Salmonella typhimurium	(Ames-Test)	Negative.

##### Carcinogenicity:

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

##### Talc

##### Notes

Negative.

##### Carbon black

End point	Value	Unit	Organism	Test method	Notes
			Mouse		Negative.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

##### Silicon dioxide - amorphous

###### Notes

Negative.

##### Reproductive toxicity:

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Value	Unit	Organism	Test method	Notes
				OECD 421 (Reproduction/ Developmental Toxicity Screening Test)	Negative.
				OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/ Developm. Tox. Screening Test)	Negative.

##### Talc

End point	Value	Unit	Organism	Test method	Notes
			Rat		Negative.

##### Silicon dioxide - amorphous

End point	Value	Unit	Organism	Test method	Notes
NOAEL	>497	mg/kg bw/d			No indications of such an effect.

##### Specific target organ toxicity – single exposure (STOT-SE):

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### Specific target organ toxicity – repeated exposure (STOT-RE):

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### Carbon black

Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
Oral	NOAEL	137	mg/kg	Mouse		
Oral	NOAEL	52	mg/kg	Rat		
	NOEL	0,0011	mg/l			References, Target organ(s): lung (90d)

##### Silicon dioxide - amorphous

Toxicity/effect	End point	Value	Unit	Organism	Test method	Notes
By inhalation	NOAEL	0,035	mg/l			Negative.

## Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT B)

#### Aspiration hazard:

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### Carbon black

###### Notes

No.

##### Silicon dioxide - amorphous

###### Notes

No.

#### Symptoms:

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### Talc

###### Notes

Mucous membrane irritation.

#### 11.2 Information on other hazards

**Endocrine disrupting properties:** Does not apply to mixtures.

**Other information:** No other relevant information available on adverse effects on health.

### 12. ECOLOGICAL INFORMATION

#### 12.1 Toxicity

##### Toxicity to fish:

##### FAST TOP LEVEL (COMPONENT B)

###### Notes

No data available.

##### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Time	Value	Unit	Organism	Test method	Notes
LC50	48h	>100	mg/l	Leuciscus idus	DIN 38412 T.15	Analogous conclusion.

##### Talc

End point	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	100	g/l	Brachydanio rerio		

##### Carbon black

End point	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	>1000	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT B)

#### Silicon dioxide - amorphous

End point	Time	Value	Unit	Organism	Test method	Notes
LC50	96h	>10000	mg/l	Brachydanio rerio	OECD 203 (Fish, Acute Toxicity Test)	

#### Toxicity to daphnia:

#### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL	21d	>=10	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproduction Test)	Analogous conclusion.
EC50	48h	>100	mg/l	Daphnia magna	92/69/EC	Analogous conclusion.

#### Carbon black

End point	Time	Value	Unit	Organism	Test method	Notes
EC50	24h	>5600	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	

#### Silicon dioxide - amorphous

End point	Time	Value	Unit	Organism	Test method	Notes
EC50	24h	>1000	mg/l	Daphnia Magna	OECD 202 (Daphnia sp. Acute Immobilisation Test)	
NOEC/NOEL	30d	34223	mg/l	Daphnia Magna		

#### Toxicity to algae:

#### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

#### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Time	Value	Unit	Organism	Test method	Notes
EC50	72h	>100	mg/l	Desmodesmus subspicatus	84/449/EEC C.3	Analogous conclusion.

#### Carbon black

End point	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL	3d	10000	mg/l	Scenedesmus subspicatus	OECD 201 (Alga, Growth Inhibition Test)	

#### Silicon dioxide - amorphous

End point	Time	Value	Unit	Organism	Test method	Notes
IC50	72h	440	mg/l	Pseudokirchneriella subcapitata	IUCLID Chem. Data Sheet (ESIS)	
NOEC/NOEL	72h	60	mg/l	Pseudokirchneriella subcapitata	IUCLID Chem. Data Sheet (ESIS)	
EC50	72h	>10000	mg/l	Desmodesmus subspicatus	OECD 201 (Alga, Growth	

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

					Inhibition Test)	
--	--	--	--	--	------------------	--

#### Toxicity to bacteria:

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
End point	Time	Value	Unit	Organism	Test method	Notes
NOEC/NOEL	3h	700	mg/l	activated sludge	ISO 8192	
EC20	30min	1000	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

Carbon black						
End point	Time	Value	Unit	Organism	Test method	Notes
EC0	3h	>=800	mg/l	activated sludge	Regulation (EC) 440/2008 C.22 (SOIL MICROORGANISMS – CARBON TRANSFORMATION TEST)	

#### 12.2 Persistence and degradability

FAST TOP LEVEL (COMPONENT B)						
Notes						
No data available.						

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
End point	Time	Value	Unit	Organism	Test method	Notes
BOD	28d	9	%		OECD 301 E (Ready Biodegradability – Modified OECD Screening test)	Hardly biodegradable.

Talc						
Notes						
Not relevant for inorganic substances.						

Carbon black						
Notes						
Not biodegradable.						

Silicon dioxide – amorphous						
Notes						
Not relevant for inorganic substances.						

#### 12.3 Bioaccumulative potential

FAST TOP LEVEL (COMPONENT B)						
Notes						
No data available.						

1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol						
End point	Time	Value	Unit	Organism	Test method	Notes
Log Pow		-2,08				

## Safety Data Sheet

According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

### FAST TOP LEVEL (COMPONENT B)

#### Carbon black

##### Notes

Not to be expected.

#### 12.4 Mobility in soil

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

#### 12.5 Results of PBT and vPvB assessment

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

No data available.

#### Talc

##### Notes

No PBT substance, No vPvB substance.

#### Silicon dioxide – amorphous

##### Notes

No PBT substance, No vPvB substance.

#### 12.6 Endocrine disrupting properties

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

Does not apply to mixtures.

#### 12.7 Other adverse effects

##### FAST TOP LEVEL (COMPONENT B)

##### Notes

No information available on other adverse effects on the environment.

#### Other information:

##### 1,1',1'',1'''-ethylenedinitrilotetrapropan-2-ol

End point	Time	Value	Unit	Organism	Test method	Notes
COD		2040	mg/g			

#### Water solubility:

##### Talc

End point	Time	Value	Unit	Organism	Test method	Notes
		<0,1	%			

#### Carbon black

##### Notes

Insoluble, Product floats on the water.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

### 13. DISPOSAL CONSIDERATIONS

#### 13.1 Waste treatment methods

##### For the substance/mixture/residual amounts:

EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances.

Recommendation:

Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

**For contaminated packing material:** Pay attention to local and national official regulations. Empty container completely. Uncontaminated packaging can be recycled. Dispose of packaging that cannot be cleaned in the same manner as the substance.

### 14. TRANSPORT INFORMATION

#### 14.1 UN number or ID number

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

#### 14.2 UN proper shipping name

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

#### 14.3 Transport hazard class(es)

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

#### 14.4 Packing group

ADR/RID: Not applicable.

IMDG: Not applicable.

IATA: Not applicable.

#### 14.5 Environmental hazards

ADR/RID: Not applicable.

**Tunnel restriction code:** Not applicable.

**Classification code:** Not applicable.

**LQ:** Not applicable.

**Transport category:** Not applicable.

IMDG: Not applicable.

**Marine Pollutant:** Not applicable.

**EmS:** Not applicable.

IATA: Not applicable.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

#### 14.6 Special precautions for user

Unless specified otherwise, general measures for safe transport must be followed.

#### 14.7 Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulations.

### 15. REGULATORY INFORMATION

#### 15.1 Safety, health and environmental regulations/legislations specific for the substance or mixture

Observe restrictions:

Comply with trade association/occupational health regulations.

Directive 2010/75/EU (VOC): < 0,3%

Water hazard category according to the General Assessment Method (ABM) 2016: B(4)

Compliance with the Working Conditions Decree (in particular Articles 4.105 and 4.106 – Young employees) (Netherlands).

#### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

### 16. OTHER INFORMATION

**Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EC) 1272/2008 (CLP):**

Classification in accordance with regulation (EC) No 1272/2008 (CLP)	Evaluation method used
Eye Irrit. 2, H319	Classification according to calculation procedure.

**The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3):**

H319 Causes serious eye irritation.

Eye Irrit.: Eye irritation.

**Important literature references and data sources:** Regulation (EC) No. 1907/2006 (REACH) and Regulation (EC) No. 1272/2008 (CLP) in the then valid version. Guidelines for drawing up safety data sheets in the currently valid version (ECHA).

Guidance on labeling and packaging in accordance with Regulation (EC) No 1272/2008 [CLP] in the currently valid version (ECHA).

Safety data sheets of the ingredients.

ECHA homepage – information on chemicals.

GESTIS substance database (Germany).

Federal Environmental Agency “Rigoletto” Information page on water pollutants (Germany).

EU occupational exposure limit values directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831 in the then valid version.

National lists of occupational exposure limit values of the respective countries in the currently valid version.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

Regulations for the transport of dangerous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) in the then valid version.

#### Abbreviations and acronyms:

ABM: Water hazard category according to the General Assessment Method.  
ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (=European Agreement concerning the International Carriage of Dangerous Goods by Road).  
AOX: Absorbable organic halogen compounds.  
ASTM: American Society for Testing and Materials.  
ATE: Acute Toxicity Estimate.  
BAM: Bundesanstalt für Materialforschung und -prüfung (Office Fédéral de Contrôle des Matériaux, Allemagne).  
BAuA: Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Bureau fédéral allemand de la protection et de la médecine du travail, Allemagne).  
BCF: Bioconcentration factor.  
BSEF: The International Bromine Council.  
Bw: body weight.  
CAS: Chemical Abstracts Service.  
CLP: Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures).  
CMR: carcinogenic, mutagenic, reproductive toxic.  
DEFR: Département fédéral de l'économie, de la formation et de la recherche (Suisse).  
DETEC: Département fédéral de l'environnement, des transports, de l'énergie et de la communication (Suisse).  
DMEL: Derived Minimum Effect Level.  
DNEL: Derived No Effect Level.  
DOC: Dissolved organic carbon.  
Dw: dry weight.  
EC: European Community.  
EEC: European Economic Community.  
ECHA: European Chemicals Agency.  
EINECS: European Inventory of Existing Commercial Substances.  
ELINCS: European List of Notified Chemical Substances.  
EN: European norms.  
EPA: United States Environmental Protection Agency (United States of America).  
EVAL: Copolymère d'éthylène-alcool vinylique.  
EU: European Union.  
GHS: Globally Harmonised System of Classification and Labelling Chemicals.  
GWP: Global warming potential.  
IARC: International Agency for Research on Cancer.  
IATA: International Air Transport Association.  
IBC (Code): International Bulk Chemical (Code).  
IMDG-code: International Maritime Code for Dangerous Goods.  
ISO: International Organization for Standardization.  
IUCLID: International Uniform Chemical Information Database.  
IUPAC: International Union for Pure Applied Chemistry.  
LC50: Lethal Concentration to 50% of a test population.  
LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).  
LMD: Les listes pour les mouvements de déchets (Suisse).  
Log Pow: Logarithm of octanol-water partition coefficient.  
LQ: Limited Quantities.  
NIOSH: National Institute for Occupational Safety and Health (USA).  
NLP: No-longer-Polymer.

## Safety Data Sheet

### According to Regulation (EC) No 1907/2006, Annex II

Creation date: 8/06/2023

#### FAST TOP LEVEL (COMPONENT B)

NOEC, NOEL: No observed Effect Concentration/Level.  
OECD: Organisation for Economic Co-operation and Development.  
OFEV: Office fédéral de l'environnement (Suisse).  
OMoD: Ordonnance sur les mouvements de déchets (Suisse).  
Org.: Organic.  
OSHA: Occupational Safety and Health Administration (USA).  
OTD: Ordonnance sur le traitement des déchets (Suisse).  
PBT: Persistent, bioaccumulative and toxic.  
PNEC: Predicted No Effect Concentration.  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals).  
REACH-IT List-No.: 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.  
RID: Règlement concernant le transport International ferroviaire de marchandises Dangereuses (=Regulation concerning the International Carriage of Dangerous Goods by Rail).  
SVHC: Substances of Very High Concern.  
UN RTDG: United Nations Recommendations on the Transport of Dangerous Goods.  
VOC: Volatile Organic Compounds.  
vPvB: very Persistent and very Bioaccumulative.  
wwt: wet weight.

DISCLAIMER. The information obtained in this Safety Data Sheet from sources which we believe are reliable. The conditions or methods of handling, storage or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not accept any liability for loss, damage or expense which explicitly rejected in any way, can result from handling, storage, use or disposal of the product. This Safety Data Sheet was prepared and is to be used only for this product. If the product is used as a component in another product, it is possible that the Safety Data Sheet information is not applicable.

